


QUALITÀ - RAPIDITÀ - CONVENIENZA

QUALITY, SPEED, ECONOMY

CALIDAD, RAPIDEZ, CONVENIENCIA

جودة - سرعة - منفعة

New
Edition
2021




Gli specialisti nella produzione di consumabili per la stampa
Specialists in the production of consumables for printing
Los especialistas en la producción de consumibles para la impresión
المختصين في إنتاج المواد المستهلكة للطباعة

PRODUCTS
COMPATIBLE WITH
HEIDELBERG
MACHINES

ROYAL SUCKERS®

Feeder suckers



SHEET SEPARATORS



RUBBER TEX®

Dual function suckers



FEEDER BRUSHES



LIFTING SUPPORTS FOR SUCKERS



MAGIC FILTER PLUS®

Recirculation filters for TECHNOTRANS - BALDWIN etc.



MAGIC LIQUID FILTER®

Filter mats for Fountain washing systems



FAT VAMPIRE FOUNTAIN®

Recirculating systems fat vampire



MAGIC AIR FILTER®

Filter mats for Fountain washing systems



SPEED NET

IMMUTABILE NELLA QUALITÀ E NEL PREZZO. INDELEBILE QUALITÀ E PREZZO.



SPEED FILM® / PAPER

Anti-marking products



UNDER NET JACKETS



DIE CUTTING & CREASING JACKETS



ROYAL DOT BLANKETS®

HIGH QUALITY PRINTING BLANKETS



SUMITOMO PRINTING BLANKETS®

Top quality for printing blankets



WORLD LEADER
IN THE
MANUFACTURE
OF THIS PLANET
OF PRODUCTS



ROYAL BELTS®

Feeder belts



CYLINDER JACKET PLANET



IMPRESSION CYLINDER JACKETS CERAMIC TREATED



SPECIAL RUBBER WASH

Rubber bladders for blanket and cylinder washing systems BALDWIN - ELETTA



BLU-TEX®

Blanket washcloth rolls



WHITE-TEX®

Blanket washcloth rolls



BLU-TEX MARINE®

Blanket washcloth rolls



FEEDER WHEELS



TRANSFER CYLINDER JACKETS TREATED



SUPER FILM JACKETS



BLANKET AUTOWASH BRUSHES




SPIDER TEX



PERFECTING TEX®

Special washcloth for treated impression cylinder jackets



PRE-TEX®

PATENTED Impregnation system

NEW SERVICE P&C

PARKING & CUTTING
QUALITY, SPEED, ECONOMY



QUICK CUT AND QUICK BAR SERVICE

QUALITY, SPEED, ECONOMY



ROYAL UNDERBLANKET®

The Only Underblanket
With Ground Rubber Surface




ROYAL DOT ADHESIVE®

PRINTING BLANKETS



HIGHLANDER PACK INFINITY®

Structural Underpacking
PATENTED



SUPER-PACK®

Calibrated underpacking paper
The only certified ones in the world



ROYAL SUPER BLADES



SUNDRIES



INK DUCT END BLOCKS



SUPERFOIL INK DUCT FOILS & CPC CONSUMABLES



SUPER COAT SEALS®

Lateral Coat Seals
for varnishing units



SUPER DOCTOR BLADES

Blades for coating units
in STEEL and PLASTIC



ROYAL TOP PLATES®

Coating Plates for Water-Based
and UV Coatings
mm. 1,15 - 1,35 - 1,95



ROYAL COAT

Coating Plates in Rubber
mm. 1,15 - 1,35 - 1,95 - 2,35



COATING UNIT



SHEET SLOWDOWN BELTS



MAGNIFYING GLASSES

Magnifiers and microscopes



ROYAL MEASURING AND CONTROLLING INSTRUMENTS



SONTARA PRINTMASTER®

Blanket washcloth rolls



PRE-TEX® WEB-OFFSET

PATENTED
Impregnation system



HICKEY REMOVERS



GRIPPERS AND GRIPPER PADS



REPLACEMENT SPARE PARTS



FOLEX PACK FOIL®

Underpacking polyester
Adhesive and Non-adhesive



ROYAL CLEANING PRODUCTS




PERFECT BLADES®

Wash-up blades for ink rollers
2000 DIFFERENT BLADES



FOILTEX® FOILTEX® PERFECTING

Woven non-woven in cut
pieces for manual cleaning



ROYAL UNDER COAT®

Underpacking specific
for coating plates




SUPER COAT®

Coating Plates for off-line varnishing
mm. 0,53 - 0,70

ROYAL SUCKERS®


Feeder suckers



P. 9/16

RUBBER TEX®

Dual function suckers




P. 11

LIFTING SUPPORTS FOR SUCKERS



P. 17

SHEET SEPARATORS



P. 20

FEEDER BRUSHES



P. 25


ROYAL BELTS®

Feeder belts




P. 26

FEEDER WHEELS



P. 29

Guaranteeing a good recirculation...



P. 30

MAGIC FILTER PLUS®


Recirculation filters for TECHNOTRANS - BALDWIN etc.



P. 31

FAT VAMPIRE FOUNTAIN®

Recirculating systems fat vampire



P. 33

MAGIC LIQUID FILTER®



P. 34

MAGIC AIR FILTER®




P. 36/39

CYLINDER JACKET PLANET



P. 40

IMPRESSION CYLINDER JACKETS CERAMIC TREATED



P. 41

TRANSFER CYLINDER JACKETS TREATED




P. 43

SUPER FILM JACKETS



P. 44

SPEED FILM BLUE STANDARD



P. 46

UNDER NET JACKETS



P. 48

SPEED NET®

IMBATTIBILE NELLA QUALITÀ E NEL PREZZO
UNBEATABLE QUALITY AND PRICE



P. 50

ROYAL PRESS®

Cylinder jackets for Die cutting - creasing - punching



P. 51

DIE CUTTING JACKETS



OUR PRODUCTION

P. 52

BLANKET AUTOWASH BRUSHES



P. 53

SPECIAL RUBBER WASH
Rubber bladders for blanket and cylinder washing systems
BALDWIN - ELETTRA



OUR PRODUCTION

P. 54

BLU-TEX®
Blanket washcloth rolls



EUROPEAN DISTRIBUTION

CERTIFIED BY fogra

P. 56

WHITE-TEX®
Blanket washcloth rolls



EUROPEAN DISTRIBUTION

CERTIFIED BY fogra

P. 56

BLU-TEX MARINE®
Blanket washcloth rolls



EUROPEAN DISTRIBUTION

CERTIFIED BY fogra

P. 56

SONTARA PRINTMASTER®
Blanket washcloth rolls



ORIGINAL

P. 56

SPIDER TEX
For sheetfed offset and web offset presses



NEW PRODUCT

SPECIAL CLOTH WITH EXCELLENT CLEANING CAPACITY FOR BOTH PRINTING BLANKETS AND PERFECTING CYLINDERS

- ABRASION RESISTANCE *****
- BAFFLE ADJUSTMENT *****
- INK REMOVAL *****
- PAPER DUST REMOVAL *****
- LINTING *****

UNIVERSAL MICRO-PERFORATED MARSHLOTH™
For sheetfed offset and web offset presses

P. 58


PERFECTING TEX®
Special washcloth for treated impression cylinder jackets



EUROPEAN DISTRIBUTION

P. 59

PRE-TEX®
CONVERSION OF HEIDELBERG PRESSES



OUR PRODUCTION

The washcloth evolution: from dry cloth to Pre-Tex®!

P. 60

PRE-TEX® FOR WEB-OFFSET



10 Years of PRE-TEX® WEB-OFFSET
10 Years of sales worldwide
10 Years of technological innovation
10 Years of QUALITY

P. 63

SUMITOMO PRINTING BLANKETS®
Top quality for printing blankets



The new generation

EXCLUSIVE PRODUCT

S-PRIA
S-PRIA BLUE PLUS
S-PRIA GREEN
SR14

high quality compressible printing blankets for any type of printing

P. 64

ROYAL DOT BLANKETS®
HIGH QUALITY PRINTING BLANKETS



EXCLUSIVE PRODUCT

ROYAL DOT DYNAMIC BLANKETS®
THE ONLY PRINTING BLANKETS THAT DO NOT LOSE "THICKNESS" !!!

P. 65

ROYAL DOT BLANKETS®
HIGH QUALITY PRINTING BLANKETS



UNIQUE PRODUCTION TECHNOLOGY

If you mount them correctly... you will love them !!!

ROYAL DOT DYNAMIC BLANKETS®
THE ONLY PRINTING BLANKETS THAT DO NOT LOSE "THICKNESS" !!!

P. 65

NEW SERVICE P&C
PARKING & CUTTING
QUALITY, SPEED, ECONOMY



STACKING FOR MORE THAN 350 ROLLS AVAILABLE

NEW PARKING AND CUTTING SERVICE! ALL INCLUDED IN THE PRICE !!!


P. 68

QUICK CUT AND QUICK BAR SERVICE



P. 70

ROYAL DOT ADHESIVE®
PRINTING BLANKETS



@

ROYAL UNDERBLANKET®
The Only Underblanket With Ground Rubber Surface



EXCLUSIVE PRODUCT

P. 71

SUPER-PACK®
Calibrated underpacking paper
The only certified ones in the world



EUROPEAN EXCLUSIVE

CERTIFIED BY fogra

P. 72

HIGHLANDER PACK INFINITY®
Structural Underpacking
PATENTED



PATENTED HIGHLANDER PACK INFINITY®
STRUCTURAL UNDERPACKING

EXCLUSIVE PRODUCT

ADHESIVE VERSION NOW AVAILABLE

P. 74

HICKEY REMOVERS

OUR PRODUCTION

P. 77

SEAL BETWEEN PRINTING UNITS KP.LM.V.

OUR PRODUCTION

P. 79

GRIPPERS AND GRIPPER PADS

OUR PRODUCTION

P. 80

REPLACEMENT SPARE PARTS

P. 90

SUNDRIES

OUR PRODUCTION

P. 96

SUPERFOIL INK DUCT FOILS & CPC CONSUMABLES

OUR PRODUCTION

P. 101/108

INK DUCT END BLOCKS

OUR PRODUCTION

P. 103

ROYAL SUPER BLADES

OUR PRODUCTION

P. 107

CLEANING PRODUCTS

Cleaning accessories

EXCLUSIVE PRODUCT

P. 110

ALL-TEX UNIVERSAL

THE NEW MICRO-PERFORATED CLOTH FOR MANUAL CLEANING

P. 113

FOILTEX® PERFECTING

Woven non-woven in cut pieces for manual cleaning

OUR PRODUCTION

P. 114

FOLEX PACK FOIL®

Underpacking polyester Adhesive and Non-adhesive

OUR PRODUCTION

P. 115

PERFECT BLADES®

Wash-up blades for ink rollers 2000 DIFFERENT BLADES

OUR PRODUCTION

P. 116

SUPER COAT SEALS®

Lateral Coat Seals for coating units

OUR PRODUCTION

P. 122

SUPER DOCTOR BLADES

Blades for coating units in STEEL and PLASTIC

EXCLUSIVE PRODUCT

P. 124

ROYAL CUTTER FOR DOCTOR BLADES

NEW

P. 125

SPECIAL ANILOX SPONGE®

OUR PRODUCTION

P. 126

ROYAL TOP PLATES®

Coating Plates for Water-Based and UV Coatings mm. 1,15 - 1,35 - 1,95

EXCLUSIVE PRODUCT

P. 127

ROYAL COAT

Coating Plates in Rubber mm. 1,15 - 1,35 - 1,95

EXCLUSIVE PRODUCT

P. 128

ROYAL UNDER COAT®

Underpacking specific for coating plates

EXCLUSIVE PRODUCT

P. 129

SUPER COAT®
Coating Plates for off-line varnishing
mm. 0,53 - 0,70

EXCLUSIVE PRODUCT

P.130

SHEET SLOWDOWN BELTS

P.131

MAGNIFYING GLASSES
Magnifiers and microscopes

EXCLUSIVE PRODUCT

P.135

ROYAL INSTRUMENTS
Measuring and controlling instruments

EXCLUSIVE PRODUCT

P.137

ROYAL PERF®
Rules for perforating, creasing and punching in offset

EUROPEAN EXCLUSIVE

@

ROYAL ANTISTATIC®
Economical antistatic devices

EUROPEAN EXCLUSIVE

@

SUPER DAMP®
Damper covers in vegetable fibre for developers, plate-washers and dampening rollers

EUROPEAN DISTRIBUTION

@

NEW MOL®
Damper covers in vegetable fibre for developers, plate-washers and dampening rollers

ALWAYS THE BEST!

ORIGINAL

@

THERMOSTAR®
Thermographic powders for embossing

EUROPEAN EXCLUSIVE

@

CREASING MATRIX
with steel base

ORIGINAL
STEEL BASED MATRIX
CHANNEL

EXCLUSIVE PRODUCT

@

PERFECT-LINE®
Creasing matrix with plastic base

EUROPEAN EXCLUSIVE

@

PAPER DRILL BITS®
Drill bits for paper

EXCLUSIVE PRODUCT

@

ROYAL WIRE®
Steel stitching wire

EXCLUSIVE PRODUCT

@

ROYAL CUTTING STICKS®
Cutting sticks in plastic for guillotines

EXCLUSIVE PRODUCT

@

PLATE SPEED CLAMPS®
for HEIDELBERG
MANROLAND - KOMORI

EXCLUSIVE PRODUCT

@

**@ Per maggiori informazioni relative a questo prodotto
fate richiesta per e-mail al vostro fornitore di zona**

**@ For further information about this product,
please contact your supplier by e-mail**

**@ Para mayor información correspondiente a esto producto
solicite a su proveedor por correo**

IL PIÙ GRANDE PROGRAMMA DI VENTOSE MAI REALIZZATO SINO AD ORA
THE WIDEST RANGE OF SUCKERS EVER MADE
EL MAYOR PROGRAMA DE VENTOSAS QUE SE HAYA REALIZADO HASTA LA FECHA

LA MIGLIOR QUALITÀ AL MIGLIOR PREZZO CON IL MIGLIOR SERVIZIO
THE BEST QUALITY AT THE BEST PRICE WITH THE BEST SERVICE
LA MEJOR CALIDAD AL MEJOR PRECIO CON EL MEJOR SERVICIO



Controllo "qualità" dei vari tipi di miscela di gomma

Quality control of the different types of rubber

Control de "calidad" de los diversos tipos de mezclas de goma



alcune fasi della produzione • some production processes • algunas fases de la producción



FASI DEL TRATTAMENTO TERMICO LONGEVIZZANTE

PHASES OF THE THERMAL TREATMENT TO INCREASE THE LONGEVITY
FASES DE LO TRATAMIENTO TERMICO QUE ALARGA LA DURADA




LEGENDA COLORI E SPESSORI . COLOUR AND THICKNESS KEY . LEYENDA DE COLOR Y DE ESPESOR

NOME - NAME - NOMBRE	SPESSORE THICKNESS - ESPESOR
NORMAL	0,5 mm
STANDARD	0,8 mm
STANDARD SUPER RELEASE	0,8 mm
BIS	1,0 mm
BIS SUPER RELEASE	1,0 mm

NOME - NAME - NOMBRE	SPESSORE THICKNESS - ESPESOR
ULTRA	1,5 mm
SUPER	2,0 mm
SILICONE	1,0 mm
SILICONE	1,5 mm
RUBBERTEX	

GOMMA NATURALE
NATURAL RUBBER
CAUCHO NATURAL

NORMAL



SPESSORE/THICKNESS/ESPESOR
0,5 mm - 0,20"

GOMMA NATURALE COLORATA
COLOURED NATURAL RUBBER
CAUCHO NATURAL COLOREADO

STANDARD



SPESSORE/THICKNESS/ESPESOR
0,8 mm - 0,31"

GOMMA NATURALE COLORATA
COLOURED NATURAL RUBBER
CAUCHO NATURAL COLOREADO

**STANDARD
SUPER RELEASE**



SPESSORE/THICKNESS/ESPESOR
0,8 mm - 0,31"

GOMMA NATURALE COLORATA
COLOURED NATURAL RUBBER
CAUCHO NATURAL COLOREADO

BIS



SPESSORE/THICKNESS/ESPESOR
1,0 mm - 0,40"

GOMMA NATURALE COLORATA
COLOURED NATURAL RUBBER
CAUCHO NATURAL COLOREADO

**BIS
SUPER RELEASE**



SPESSORE/THICKNESS/ESPESOR
1,0 mm - 0,40"

GOMMA NATURALE
NATURAL RUBBER
CAUCHO NATURAL

ULTRA



SPESSORE/THICKNESS/ESPESOR
1,5 mm - 0,60"

GOMMA NATURALE
NATURAL RUBBER
CAUCHO NATURAL

SUPER



SPESSORE/THICKNESS/ESPESOR
2,0 mm - 0,80"

SILICONE
SILICONE
SILICONA

SILICONE



SPESSORE/THICKNESS/ESPESOR
1,0 mm - 0,40"

SILICONE
SILICONE
SILICONA

SILICONE



SPESSORE/THICKNESS/ESPESOR
1,5 mm - 0,60"

RubberTex®
dual function suckers

SPECIAL



Side for
Cardboard

Side for
Paper

RubberTex Thickness



RubberTex®

dual function suckers








HIGH PERFORMANCE, DUAL FUNCTION FLAT SUCKERS
PRODUCED WITH CLOTH ON ONE SIDE (FOR PAPER)
AND WITH SPECIAL RUBBER ON THE OTHER SIDE (FOR CARDBOARD)

BLUE SIDE FOR CARDBOARD




WHITE SIDE FOR PAPER



MISURE REALI - REAL SIZES - MEDIDAS REALES

MISURE REALI - REAL SIZES - MEDIDAS REALES



TOP QUALITY

ROYAL SUCKERS



NOME - NAME - NOMBRE	SPESSORE THICKNESS - ESPESOR
NORMAL	0,5 mm
STANDARD	0,8 mm
STANDARD SUPER RELEASE	0,8 mm
BIS	1,0 mm
BIS SUPER RELEASE	1,0 mm
ULTRA	1,5 mm
SUPER	2,0 mm
SILICONE	1,0 mm
SILICONE	1,5 mm
RUBBERTEX	

MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES

Ø ESTERNO - Ø OUTSIDE: 21 | Ø INTERNO - Ø INSIDE: 5 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7196	0,5 mm
7198	0,8 mm
7199	0,8 mm
7200	1,0 mm
7201	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7202	1,5 mm
7203	2,0 mm
7204	1,0 mm
7205	1,5 mm
	RubberTex

Ø ESTERNO - Ø OUTSIDE: 22 | Ø INTERNO - Ø INSIDE: 3 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7224	0,5 mm
7226	0,8 mm
7227	0,8 mm
7228	1,0 mm
7229	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7230	1,5 mm
7231	2,0 mm
7232	1,0 mm
7233	1,5 mm
	RubberTex

MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES

Ø ESTERNO - Ø OUTSIDE: 25 | Ø INTERNO - Ø INSIDE: 6 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7400	0,5 mm
7402	0,8 mm
7403	0,8 mm
7404	1,0 mm
7405	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7406	1,5 mm
7408	2,0 mm
7409	1,0 mm
7410	1,5 mm
	RubberTex

Ø ESTERNO - Ø OUTSIDE: 25 | Ø INTERNO - Ø INSIDE: 8 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7420	0,5 mm
7422	0,8 mm
7423	0,8 mm
7424	1,0 mm
7425	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7426	1,5 mm
7428	2,0 mm
7430	1,0 mm
7431	1,5 mm
	RubberTex

Ø ESTERNO - Ø OUTSIDE: 28 | Ø INTERNO - Ø INSIDE: 7 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7560	0,5 mm
7562	0,8 mm
7563	0,8 mm
7564	1,0 mm
7565	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7566	1,5 mm
7568	2,0 mm
7569	1,0 mm
7570	1,5 mm
	RubberTex

Ø ESTERNO - Ø OUTSIDE: 28 | Ø INTERNO - Ø INSIDE: 9 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7580	0,5 mm
7582	0,8 mm
7583	0,8 mm
7584	1,0 mm
7585	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7586	1,5 mm
7588	2,0 mm
7590	1,0 mm
7291	1,5 mm
	RubberTex

MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES


Ø ESTERNO - Ø OUTSIDE: 30 | Ø INTERNO - Ø INSIDE: 13 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7760	0,5 mm
7762	0,8 mm
7763	0,8 mm
7764	1,0 mm
7765	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7766	1,5 mm
7768	2,0 mm
7770	1,0 mm
7771	1,5 mm
7772	RubberTex

Ø ESTERNO - Ø OUTSIDE: 32 | Ø INTERNO - Ø INSIDE: 13 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7920	0,5 mm
7922	0,8 mm
7923	0,8 mm
7924	1,0 mm
7925	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
7926	1,5 mm
7928	2,0 mm
7930	1,0 mm
7931	1,5 mm
7932	RubberTex

MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES - MISURE REALI - REAL SIZES - MEDIDAS REALES

Ø ESTERNO - Ø OUTSIDE: 35 | Ø INTERNO - Ø INSIDE: 13 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
8120	0,5 mm
8122	0,8 mm
8123	0,8 mm
8124	1,0 mm
8125	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
8126	1,5 mm
8128	2,0 mm
8130	1,0 mm
8131	1,5 mm
8132	RubberTex


Ø ESTERNO - Ø OUTSIDE: 38 | Ø INTERNO - Ø INSIDE: 13 mm



CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
8300	0,5 mm
8302	0,8 mm
8303	0,8 mm
8304	1,0 mm
8305	1,0 mm

CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - ESPESOR
8306	1,5 mm
8308	2,0 mm
8310	1,0 mm
8311	1,5 mm
8312	RubberTex

VENTOSE SAGOMATE - SHAPED SUCKERS - VENTOSAS MOLDEADAS




HEIDELBERG NEBIOLO

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9009	9 ULTRA	8 mm	16,5 mm	7 mm

HEIDELBERG GTO



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




HEIDELBERG NEBIOLO

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9010	10 ULTRA	3 mm	19 mm	7 mm

HEIDELBERG GTO / MO / PLATEN / OHT 26X38 / GT 32X46



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES



HEIDELBERG ATF CHIEF

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9011	11 ULTRA	6 mm	27 mm	7 mm

HEIDELBERG CYLINDERS KOR / KORD / KORS / KS / S / SBG / SBB / SBD




MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES

SPEEDMASTER

102 / 102 CD / 105 XL / 106 XL


NEW VERSION




HEIDELBERG - ATF CHIEF - AURELIA - OMCSA REDAELLI - MILLER - MIEHLE - ROLAND

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9012	12 ULTRA	7 mm	28 mm	18 mm

ATF COMMANDER 29




MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9074	74 ULTRA	4 mm	21 mm	5 mm

PLATEN "OHT" 26x78 WINDMILL 10x15
PLATEN "GT" 32x46 WINDMILL 13x18




MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES



HEIDELBERG SPEEDMASTER 145XL - 162XL

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9066XL		13 mm	31 mm	16,5 mm






HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9075	75 ULTRA	17 mm	16 mm	4 mm

HEIDELBERG QUICKMASTER



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9079	79 ULTRA	31 mm	15,5 mm	5 mm

HEIDELBERG TOK / TOM



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




HEIDELBERG - KLUGE

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9114	114 ULTRA	5 mm	22 mm	6 mm

HEIDELBERG CYLINDERS KOR / KORD / KORS / KS / S / SBG / SBB / SBD



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




STAHL - HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9126	126 ULTRA	11 mm	16 mm	6 mm



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




S201305-0098-1

STAHL - HEIDELBERG STITCHMASTER

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9135	135 ULTRA	13 mm	20 mm	5 mm



MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES - MISURE REALI - REAL SIZE - MEDIDAS REALES




S161305-0099-1

STAHL - HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9136	136 ULTRA	13 mm	16 mm	5 mm






S161305-0100-1

STAHL - HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9137	137 ULTRA	13 mm	16 mm	5 mm



S201305-0101-1

STAHL - HEIDELBERG

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9138	138 ULTRA	13 mm	20 mm	5 mm



HEIDELBERG SPEEDMASTER 105XL - 106XL

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9139	139 ULTRA	3 mm	25 mm	12 mm



HEIDELBERG SPEEDMASTER 106XL

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9139-A	139A ULTRA	3,5 mm	28 mm	16 mm



HEIDELBERG EASYMATRIX 106 - C / CS

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9145		14 mm	30 mm	16 mm



HEIDELBERG SPEEDMASTER 74

CODICE - CODE CÓDIGO	NOME - NAME	SPESSORE THICKNESS - ESPESOR	Ø ESTERNO Ø OUTSIDE	Ø INTERNO Ø INSIDE
9148		12 mm	30,5 mm	5,5 mm



SOPORTE DE ALZADO DE VENTOSAS





**BOCCHETTA DI SOLLEVAMENTO
LIFTING SUPPORT FOR SUCKERS
SOPORTE DE ALZADO DE VENTOSAS**



**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

HEIDELBERG SPEEDMASTER 52

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

G2.028.0105

CODICE - CODE - CÓDIGO

4813-A



**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

**HEIDELBERG SPEEDMASTER 52
CON CALAMITA / WITH MAGNET / CON IMAN**


ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

G2.028.010N

CODICE - CODE - CÓDIGO

4813-B



**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

HEIDELBERG CD74/XL75

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

MV.056.999/01

CODICE - CODE - CÓDIGO

4814-B



**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

HEIDELBERG CD74/XL75

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

MV.056.997/01

CODICE - CODE - CÓDIGO

4814-C

PER CARTA - FOR PAPER - PARA PAPEL



**BOCCHETTA DI SOLLEVAMENTO PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

HEIDELBERG SPEEDMASTER 102/102CD

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS


COMPATIBLE WITH OEM PART

66.028.409

CODICE - CODE - CÓDIGO

4812

PER CARTONE - FOR CARDBOARD - PARA CARTÓN



**BOCCHETTA DI SOLLEVAMENTO PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

**HEIDELBERG SPEEDMASTER 102/102CD/105XL
MO/SORM/SORS TUTTI I MODELLI - ALL MODELS - TODOS LOS MODELOS**

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4811



**BOCCHETTA DI SOLLEVAMENTO PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

**HEIDELBERG SPEEDMASTER 102/102CD/105XL
MO/SORM/SORS TUTTI I MODELLI - ALL MODELS - TODOS LOS MODELOS**

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

CODICE - CODE - CÓDIGO

66.028.809/01

4813



**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

**HEIDELBERG SPEEDMASTER
102/MO/SORS/SORD/SORM**


ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

CODICE - CODE - CÓDIGO

C4.028.009/02

4811-A



**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

HEIDELBERG SPEEDMASTER 102/102CD

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

COMPATIBLE WITH OEM PART

CODICE - CODE - CÓDIGO

F2.028.267S/01

4812-A




**BOCCHETTA DI SOLLEVAMENTO PER VENTOSE PER:
LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DE ALZADO DE VENTOSAS PARA:**

HEIDELBERG SPEEDMASTER 102/102CD

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4814-A



**BOCCHETTA DI SOLLEVAMENTO DOPPIA PER:
DOUBLE LIFTING SUPPORT FOR SUCKERS FOR:
SOPORTE DOBLE DE ALZADO DE VENTOSAS PARA:**

**HEIDELBERG SPEEDMASTER 102/102CD/105XL
MO/SORM/SORS TUTTI I MODELLI - ALL MODELS - TODOS LOS MODELOS**

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS


CODICE - CODE - CÓDIGO

4814

LINGUETTE SEPARAFOGLIO SHEET SEPARATORS LENGÜETAS SEPARADORAS



PRODOTTE CON ACCIAIO SVEDESE ORIGINALE
 PRODUCED WITH ORIGINAL SWEDISH STEEL
 FABRICADAS CON ACERO SUECO ORIGINAL



LINGUETTA SEPARAFOGLIO PER:
 SHEET SEPARATOR FOR:
 LENGÜETA SEPARADORA PARA:

HEIDELBERG SPEEDMASTER

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4602	0,20 mm	.008"



PRODOTTE CON ACCIAIO SVEDESE ORIGINALE
 PRODUCED WITH ORIGINAL SWEDISH STEEL
 FABRICADAS CON ACERO SUECO ORIGINAL




LINGUETTA SEPARAFOGLIO PER:
 SHEET SEPARATOR FOR:
 LENGÜETA SEPARADORA PARA:

HEIDELBERG SPEEDMASTER

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4600	0,20 mm	.008"



PRODOTTE CON ACCIAIO SVEDESE ORIGINALE
 PRODUCED WITH ORIGINAL SWEDISH STEEL
 FABRICADAS CON ACERO SUECO ORIGINAL




LINGUETTA SEPARAFOGLIO PER:
 SHEET SEPARATOR FOR:
 LENGÜETA SEPARADORA PARA:

HEIDELBERG SPEEDMASTER

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4604	0,20 mm	.008"



PRODOTTE CON ACCIAIO SVEDESE ORIGINALE
 PRODUCED WITH ORIGINAL SWEDISH STEEL
 FABRICADAS CON ACERO SUECO ORIGINAL




LINGUETTA SEPARAFOGLIO PER:
 SHEET SEPARATOR FOR:
 LENGÜETA SEPARADORA PARA:

HEIDELBERG SPEEDMASTER

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4605	0,20 mm	.008"



PRODOTTI CON ACCIAIO SVEDESE ORIGINALE
PRODUCED WITH ORIGINAL SWEDISH STEEL
FABRICADAS CON ACERO SUECO ORIGINAL




LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

HEIDELBERG SPEEDMASTER 52/102 CD/105 XL

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4611	0,20 mm	.008"



PRODOTTI CON ACCIAIO SVEDESE ORIGINALE
PRODUCED WITH ORIGINAL SWEDISH STEEL
FABRICADAS CON ACERO SUECO ORIGINAL




LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

HEIDELBERG SPEEDMASTER 52/102 CD/105 XL

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4613	0,20 mm	.008"



PRODOTTI CON ACCIAIO SVEDESE ORIGINALE
PRODUCED WITH ORIGINAL SWEDISH STEEL
FABRICADAS CON ACERO SUECO ORIGINAL



MORE FLEXIBLE

PER CARTA - FOR PAPER - PARA PAPEL


LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

**HEIDELBERG SPEEDMASTER 52/102 CD
105 XL/145 XL/162 XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4614	0,20 mm	.008"



PRODOTTI CON ACCIAIO SVEDESE ORIGINALE
PRODUCED WITH ORIGINAL SWEDISH STEEL
FABRICADAS CON ACERO SUECO ORIGINAL



LESS FLEXIBLE

PER CARTONE - FOR CARDBOARD - PARA CARTÓN


LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

**HEIDELBERG SPEEDMASTER 52/102 CD/105 XL
145 XL/162 XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4616	0,20 mm	.008"



PRODOTTI CON ACCIAIO SVEDESE ORIGINALE
PRODUCED WITH ORIGINAL SWEDISH STEEL
FABRICADAS CON ACERO SUECO ORIGINAL




LINGUETTA SEPARAFOGLIO A PETTINE (DESTRA + SINISTRA) PER:
COMB-SHAPED SHEET SEPARATOR (RIGHT AND LEFT) FOR:
LENGÜETA SEPARADORA CON PEINE (DERECHA + IZQUIERDA) PARA:

HEIDELBERG SPEEDMASTER

	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4601	0,20 mm	.008"



PRODOTTI CON ACCIAIO SVEDESE ORIGINALE
PRODUCED WITH ORIGINAL SWEDISH STEEL
FABRICADAS CON ACERO SUECO ORIGINAL



LINGUETTA SEPARAFOGLIO (DESTRA + SINISTRA) PER:
SHEET SEPARATOR (RIGHT AND LEFT) FOR:
LENGÜETA SEPARADORA (DERECHA + IZQUIERDA) PARA:

HEIDELBERG SPEEDMASTER


	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4603	0,20 mm	.008"



LINGUETTA SEPARAFOGLIO DOPPIA PER:
DOUBLE SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA DOBLE PARA:

HEIDELBERG SPEEDMASTER


	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4612	0,20 mm	.008"



LINGUETTA SEPARAFOGLIO DOPPIA PER:
DOUBLE SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA DOBLE PARA:

HEIDELBERG SPEEDMASTER


	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4617	0,20 mm	.008"



LINGUETTA SEPARAFOGLIO DOPPIA PER:
DOUBLE SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA DOBLE PARA:

HEIDELBERG SPEEDMASTER 52


	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4612-A	0,20 mm	.008"



LINGUETTA SEPARAFOGLIO DOPPIA PER:
DOUBLE SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA DOBLE PARA:

HEIDELBERG SPEEDMASTER 52

	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	
	4617-A	0,20 mm	.008"
	4617-B	0,20 mm	.008"



LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

HEIDELBERG QUICKMASTER 46/46Di

	CODICE - CODE - CÓDIGO		
	4967		



LINGUETTE SEPARAFOGLIO UNIVERSALI PER:
UNIVERSAL SHEET SEPARATORS FOR:
LENGÜETAS SEPARADORAS DE HOJAS UNIVERSAL PARA:

HEIDELBERG GTO 46

ORDINE MINIMO 5 PEZZI MINIMUM ORDER 5 PCS PEDIDO MÍNIMO 5 PIEZAS	CODICE - CODE - CÓDIGO		
	4850		



LINGUETTE SEPARAFOGLIO CON CAPPuccio IN GOMMA PER:
SHEET SEPARATOR WITH RUBBER HOOD FOR:
LENGUETAS SEPARADORA DE HOJAS CON CAPUCHA DE GOMMA PARA:

HEIDELBERG GT046


ORDINE MINIMO 5 PEZZI MINIMUM ORDER 5 PCS PEDIDO MÍNIMO 5 PIEZAS	CODICE - CODE - CÓDIGO	SPESSORE THICKNESS - GROSOR	PREZZO UNITARIO UNIT PRICE - PRECIO UNITARIO
	4855		



LINGUETTE SEPARAFOGLIO UNIVERSALI PER:
UNIVERSAL SHEET SEPARATORS FOR:
LENGUETAS SEPARADORAS DE HOJAS UNIVERSAL PARA:

HEIDELBERG GT0 52

ORDINE MINIMO 5 PEZZI MINIMUM ORDER 5 PCS PEDIDO MÍNIMO 5 PIEZAS	CODICE - CODE - CÓDIGO		
	4860		



GOMMINI DI RICAMBIO PER LINGUETTE SEPARAFOGLIO PER:
RUBBER HOODS FOR SHEET SEPARATORS FOR:
GOMA DE RECAMBIO PARA LENGUETA SEPARADORA DE HOJAS PARA:

HEIDELBERG GT0 46/52/K SERIES

ORDINE MINIMO 20 PEZZI MINIMUM ORDER 20 PCS PEDIDO MÍNIMO 20 PIEZAS	CODICE - CODE - CÓDIGO		
	4875		



LINGUETTE SEPARAFOGLIO CON CAPPuccio IN GOMMA PER:
SHEET SEPARATOR WITH RUBBER HOOD FOR:
LENGUETA SEPARADORA DE HOJAS CON CAPUCHA DE GOMMA PARA:

HEIDELBERG GT0 52

ORDINE MINIMO 5 PEZZI MINIMUM ORDER 5 PCS PEDIDO MÍNIMO 5 PIEZAS	CODICE - CODE - CÓDIGO		
	4865		



LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGUETA SEPARADORA DE HOJAS PARA:

HEIDELBERG GT0 52 (45°)/MO/M SERIES


ORDINE MINIMO 5 PEZZI MINIMUM ORDER 5 PCS PEDIDO MÍNIMO 5 PIEZAS	CODICE - CODE - CÓDIGO		
	4870		



LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGUETA SEPARADORA DE HOJAS PARA:

HEIDELBERG GT0 52 (90°)/MO/M SERIES

ORDINE MINIMO 5 PEZZI MINIMUM ORDER 5 PCS PEDIDO MÍNIMO 5 PIEZAS	CODICE - CODE - CÓDIGO		
	4871		



LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:


HEIDELBERG OHZ/SBG/SBD

ORDINE MINIMO 5 PEZZI
MINIMUM ORDER 5 PCS
PEDIDO MÍNIMO 5 PIEZAS

CODICE - CODE - CÓDIGO

4872 (45°)

4872-A (90°)




LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

HEIDELBERG GTO/K SERIES/KS/KSB/KSBA/KSD

ORDINE MINIMO 5 PEZZI
MINIMUM ORDER 5 PCS
PEDIDO MÍNIMO 5 PIEZAS

CODICE - CODE - CÓDIGO

4845



LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

**HEIDELBERG KORD (45°)/KORS
K SERIES/KS/KSB/KSBA/KSD**

ORDINE MINIMO 5 PEZZI
MINIMUM ORDER 5 PCS
PEDIDO MÍNIMO 5 PIEZAS

CODICE - CODE - CÓDIGO

4830




LINGUETTA SEPARAFOGLIO CON SPUGNA PER:
SHEET SEPARATOR WITH SPONGE FOR:
LENGÜETA SEPARADORA CON ESPONJA PARA:

HEIDELBERG KORD (45°)

ORDINE MINIMO 5 PEZZI
MINIMUM ORDER 5 PCS
PEDIDO MÍNIMO 5 PIEZAS

CODICE - CODE - CÓDIGO

4835



LINGUETTA SEPARAFOGLIO PER:
SHEET SEPARATOR FOR:
LENGÜETA SEPARADORA PARA:

**HEIDELBERG KORD (90°)/KORS
K SERIES/KS/KSB/KSBA/KSD**


ORDINE MINIMO 5 PEZZI
MINIMUM ORDER 5 PCS
PEDIDO MÍNIMO 5 PIEZAS

CODICE - CODE - CÓDIGO

4840



Original




**SPAZZOLINO METTIFOGLIO PER:
FEEDER BRUSH FOR:
CEPILLO PARA MARCADOR PARA:**

HEIDELBERG GTO/MO/SPEEDMASTER

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4606



**SPAZZOLINO METTIFOGLIO COMPLETO DI MORSETTO PER:
FEEDER BRUSH WITH CLAMP FOR:
CEPILLO PARA MARCADOR COMPLETO CON MORDAZA PARA:**


**HEIDELBERG GTO/MO/SORM/SORD/SORS
SPEEDMASTER 52/72/74/102**

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4608

Original




**SPAZZOLINO METTIFOGLIO PER:
FEEDER BRUSH FOR:
CEPILLO PARA MARCADOR PARA:**

HEIDELBERG SPEEDMASTER 72/74/102

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4609



**SPAZZOLINO METTIFOGLIO PER:
FEEDER BRUSH FOR:
CEPILLO PARA MARCADOR PARA:**


HEIDELBERG

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4694

Original



**SPAZZOLINO METTIFOGLIO PER:
FEEDER BRUSH FOR:
CEPILLO PARA MARCADOR PARA:**



HEIDELBERG QUICKMASTER 46Di/PRINTMASTER 46

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MÍNIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

4607

CINGHIE DI TRASPORTO FEEDER BELTS CORREAS DE TRANSPORTE



GRANDE MACCHINA SALDATRICE PER CINGHIE DI TRASPORTO LUCE UTILE mm 230 (cod. 6206)
LARGE WELDING MACHINE FOR FEEDER BELTS MAXIMUM WELDING WIDTH mm 230 (code 6206)
GRANDE MÁQUINA DE SOLDAR PARA CORREAS DE TRANSPORTE MAXIMO UTIL mm 230 (código 6206)

LARGE

PRODOTTA INTERAMENTE IN ITALIA - PRODUCED ENTIRELY IN ITALY - PRODUCIDA TOTALMENTE EN ITALIA


CERTIFICATA

CERTIFICATION

CERTIFICADA

CODICE
CODE - CÓDIGO
6206

LARGHEZZA
WIDTH - ANCHO
mm 230



MACCHINA SALDATRICE PER CINGHIE DI TRASPORTO TONDE
WELDING MACHINE FOR ROUND FEEDER BELTS
MÁQUINA DE SOLDAR PARA CORREAS DE TRANSPORTE REDONDAS
PRODOTTA INTERAMENTE IN ITALIA - PRODUCED ENTIRELY IN ITALY - PRODUCIDA TOTALMENTE EN ITALIA

CERTIFICATA
CERTIFICATION
CERTIFICADA

CODICE
CODE - CÓDIGO
6207




Original



COLLA "SPECIALE" AD ALTA RESISTENZA PER CINGHIE DI TRASPORTO
"SPECIAL" HIGH-RESISTANCE GLUE FOR FEEDER BELTS
COLA "ESPECIAL" DE ALTA RESISTENCIA PARA CORREAS DE TRANSPORTE
FIXOL
FLACONE DA 40 ML - 40 ML BOTTLE - FRASCO DE 40 ML

CODICE - CODE - CÓDIGO
6201

È vietata la riproduzione di ogni singola o parziale fotografia del presente catalogo, tutti i diritti sono riservati. - Any reproduction in whole or in part of this catalogue, is strictly prohibited. All rights reserved. - Se prohíbe terminantemente la reproducción total o parcial de cada fotografía contenida en este catálogo. Todos los derechos están reservados. ممنوع الاستنساخ من كل أو بعض هذا الدليل منعاً باتاً. كل الحقوق محفوظة

"S"

AC - CB

1210 mm x 89 mm
47,64" x 3,50"


CINGHIA DI TRASPORTO PERFORATA PER METTIFOGLIO PER:
PERFORATED FEEDER BELT FOR:
CORREA DE TRANSPORTE PERFORADA PARA:

HEIDELBERG GTO

CODICE - CODE - C DIGO

6000

**GI  SALDATA
READY-WELDED
YA SOLDADA**

"Z"

AC - CB


950 mm x 60 mm
37,40" x 2,36"

CINGHIA DI TRASPORTO PERFORATA PER METTIFOGLIO PER:
PERFORATED FEEDER BELT FOR:
CORREA DE TRANSPORTE PERFORADA PARA:

HEIDELBERG SPEEDMASTER 52

GI  SALDATA
READY WELDED
YA SOLDADA

CODICE - CODE - C DIGO

6002**"S"**


AC - CB

1360 mm x 25 mm
53,54" x 0,98"

CINGHIA DI TRASPORTO PER:
FEEDER BELT FOR:
CORREA DE TRANSPORTE PARA:

HEIDELBERG MO

CODICE - CODE - C DIGO


6005**"S"**

AC - CB

1400 mm x 28 mm
55,12" x 1,10"

CINGHIA DI TRASPORTO PER:
FEEDER BELT FOR:
CORREA DE TRANSPORTE PARA:

HEIDELBERG SORK/SORM/SORD
MONOCOLORE - SINGLE COLOUR - MONOCOLOR

CODICE
CODE - C DIGO**6010****"S"**

AC - CB

1987 mm x 28 mm
78,23" x 1,10"

CINGHIA DI TRASPORTO PER:
FEEDER BELT FOR:
CORREA DE TRANSPORTE PARA:

HEIDELBERG SORKZ/SORMZ/SORDZ
BICOLORE - TWO COLOURS - BICOLOR

CODICE - CODE - C DIGO

6015**"S"**

AC - CB


1987 mm x 27 mm
78,23" x 1,06"

CINGHIA DI TRASPORTO PER METTIFOGLIO PER:
FEEDER BELT FOR:
CORREA DE TRANSPORTE PARA:

HEIDELBERG SPEEDMASTER 72/102
TUTTI I MODELLI - ALL MODELS - TODOS LOS MODELOS

CODICE - CODE - C DIGO

6020

"S"

AC - CB

1250 mm x 54 mm
49,21" x 2,13"

CINGHIA DI TRASPORTO PERFORATA PER METTIFOGLIO PER:
PERFORATED FEEDER BELT FOR:
CORREA DE TRANSPORTE PERFORADA PARA:

HEIDELBERG SPEEDMASTER 74

CODICE - CODE - CÓDIGO

6025**"S"**

AC - CB

1250 mm x 54 mm
49,21" x 2,13"

CINGHIA DI TRASPORTO PER METTIFOGLIO PER:
FEEDER BELT FOR:
CORREA DE TRANSPORTE PARA:

HEIDELBERG SPEEDMASTER 74

CODICE - CODE - CÓDIGO

6026**"T"**GIÀ SALDATA
READY-WELDED
YA SOLDADA

AC - CB

2410 mm x 138 mm
94,88" x 5,43"

CINGHIA DI TRASPORTO PERFORATA PER METTIFOGLIO PER:
PERFORATED FEEDER BELT FOR:
CORREA DE TRANSPORTE PERFORADA PARA:

SPEEDMASTER 74/74CD/75XL

CODICE - CODE - CÓDIGO

L2.020.014**6003****"T"**GIÀ SALDATA
READY-WELDED
YA SOLDADA

AC - CB

2895 mm x 210 mm
113,98" x 8,27"

CINGHIA DI TRASPORTO PERFORATA PER METTIFOGLIO PER:
PERFORATED FEEDER BELT FOR:
CORREA DE TRANSPORTE PERFORADA PARA:

SPEEDMASTER 102/102CD/105XL

CODICE - CODE - CÓDIGO

F4.020.292.02**6004****"T"**

AC - CB

1410 mm x 85 mm
55,51" x 3,35"

CINGHIA DI TRASPORTO PERFORATA PER METTIFOGLIO PER:
PERFORATED FEEDER BELT FOR:
CORREA DE TRANSPORTE PERFORADA PARA:

PRINTMASTER 74

CODICE - CODE - CÓDIGO

6003-A**"S"**

AC - CB

6104-A490 mm x 12 mm
19,29" x 0,47"**6104**460 mm x 12 mm
18,11" x 0,47"

CINGHIA SPECIALE PER DISPOSITIVO ANTISCARTINO:
SPECIAL BELT FOR ANTI SET-OFF SYSTEM:
CORREA ESPECIAL PARA DISPOSITIVO DE POLVOS ANTIMACULADORES:

WEKO

CODICE - CODE - CÓDIGO

6104**6104-A**

RUOTE DI TRASPORTO PER SEZIONE METTIFOGLIO

FEEDER WHEELS

RUEDAS DE TRANSPORTE PARA MARCADOR



60 mm - 2,36"
11 mm - 0,43"
6 mm - 0,24"

**RUOTA BIANCA A SPAZZOLA PER CARTA PER:
WHITE BRUSH WHEEL FOR PAPER FOR:
RUEDA DE CEPILLO BLANCO PARA PAPEL PARA:**

**HEIDELBERG SORM/SORD/SORS
SPEEDMASTER 52/72/74/102/105XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO
	4640



60 mm - 2,36"
11 mm - 0,43"
6 mm - 0,24"

**RUOTA NERA A SPAZZOLA PER CARTONE PER:
BLACK BRUSH WHEEL FOR CARDBOARD FOR:
RUEDA DE CEPILLO NEGRO PARA CARTÓN PARA:**

**HEIDELBERG SORM/SORD/SORS
SPEEDMASTER 72/74/102/105XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO
	4650



47 mm - 1,85"
11 mm - 0,43"
8 mm - 0,31"

**RUOTA DI TRASPORTO IN GOMMA DURA PER:
HARD RUBBER WHEEL FOR FEEDER FOR:
RUEDA DE TRANSPORTE EN GOMA DURA PARA:**

**HEIDELBERG SORM/SORD/SORS
SPEEDMASTER 72/74/102/105XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO
	4660



47 mm - 1,85"
11 mm - 0,43"
8 mm - 0,31"

**RUOTA DI TRASPORTO IN GOMMA MORBIDA PER:
SOFT RUBBER WHEEL FOR FEEDER FOR:
RUEDA DE TRANSPORTE EN GOMA BLANDA PARA:**

**HEIDELBERG SORM/SORD/SORS
SPEEDMASTER 72/74/102/105XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO
	4670




47 mm - 1,85"
11 mm - 0,43"
8 mm - 0,31"

**RUOTA DI TRASPORTO IN PLASTICA O METALLO PER:
METAL OR PLASTIC FEEDER WHEEL FOR:
RUEDA DE TRANSPORTE EN PLASTICO O METAL PARA:**

**HEIDELBERG SORM/SORD/SORS
SPEEDMASTER 72/74/102/105XL**

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO
	4621
	4619




32 mm - 1,26"
10 mm - 0,39"
6 mm - 0,24"

**RUOTA DI TRASPORTO IN GOMMA PER:
RUBBER WHEEL FOR:
RUEDA DE TRANSPORTE EN GOMA PARA:**

HEIDELBERG SPEEDMASTER 52

ORDINE MINIMO 2 PEZZI MINIMUM ORDER 2 PCS PEDIDO MÍNIMO 2 PIEZAS	CODICE - CODE - CÓDIGO
	4672

Guaranteeing a good recirculation...



...is like preserving
your own ecosystem.


For over 20 years, our filters have been guaranteeing a superior level of filtration and consequently a longer duration of the fountain water. Longer life for the water generates the lowest possible waste.



Code 10040
Code 10040 WEB

MAGIC FILTER PLUS

FILTRI DI RICIRCOLO
RECIRCULATION FILTERS
FILTROS PARA RECIRCULADORES



Special

DOPPIO SPESSORE
 DOUBLE THICKNESS
 DOBLE ESPESOR




TECHNOTRANS

ORDINE MINIMO 2 PEZZI
 MINIMUM ORDER 2 PCS
 PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10000



Special

DOPPIO SPESSORE
 DOUBLE THICKNESS
 DOBLE ESPESOR




TECHNOTRANS

ORDINE MINIMO 2 PEZZI
 MINIMUM ORDER 2 PCS
 PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10040



Special

SPESSORE SINGOLO
 SINGLE THICKNESS
 ESPESOR SIMPLE




TECHNOTRANS - LOGOTEC

ORDINE MINIMO 2 PEZZI
 MINIMUM ORDER 2 PCS
 PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10040-B



Special



TECHNOTRANS


SIMILAR CODE OEM 137275082 / 137275083

HEIDELBERG WEB OFFSET

ORDINE MINIMO 2 PEZZI
 MINIMUM ORDER 2 PCS
 PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10040-WEB




TECHNOTRANS

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10002




TECHNOTRANS

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10004




TECHNOTRANS

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10018



HEIDELBERG SPEEDMASTER 75/75XL

ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10077



GOSS M600


ORDINE MINIMO 2 PEZZI
MINIMUM ORDER 2 PCS
PEDIDO MINIMO 2 PIEZAS

CODICE - CODE - CÓDIGO

10078

**AN OCEAN OF OILY RESIDUES
IN THE FOUNTAIN SYSTEM ?**

FatVampire®
FOUNTAIN



FAT VAMPIRE
**absorbs all those oily ink residues present
in the water reservoirs of fountain
recirculating systems.**



CODICE - CODE - CODIGO

10045

**ORDINE MINIMO 4 PEZZI
MINIMUM ORDER 4 PCS
PEDIDO MINIMO 4 PIEZAS**

MAGIC liquid FILTER



SPECIALE TESSUTO DI FILTRAGGIO PER VASCHE DI RIFLUSSO DEGLI IMPIANTI DI BAGNATURA SPECIAL FILTERING NET FOR WATER RESERVOIRS OF FOUNTAIN RECIRCULATING SYSTEMS TEJIDO FILTRANTE ESPECIAL PARA TANQUES DE REFLUJO DE SISTEMAS DE MOJADO



MAGIC FILTER LIQUID

"HIGH FILTRATION" è uno speciale materassino per filtraggio, addensato termicamente da un lato, appositamente realizzato per le vasche di riflusso degli impianti di bagnatura per la depurazione dell'acqua.




MAGIC FILTER LIQUID

"HIGH FILTRATION" is a special filter mat composed of thermally compressed fleece layers, specially developed for the water reservoirs of fountain recirculating systems.



MAGIC FILTER LIQUID

"HIGH FILTRATION" es una colchoneta filtradora especial, condensada témicamente de un lado, expresamente realizada para el tanque de reflujo del sistema de mojado, para la depuración del agua.



MISURE STANDARD - STANDARD SIZES - TAMAÑOS ESTÁNDAR

COD.	mm	inches
10385	115 X 370	4.53" X 14.57"
10390	140 X 380	5.51" X 14.96"
10400	150 X 340	5.91" X 13.39"
10410	150 X 460	5.91" X 18.11"
10415	160 X 250	6.30" X 9.84"
10416	160 X 260	6.30" X 10.24"
10417	170 X 170	6.69" X 6.69"
10421	170 X 260	6.69" X 10.24"
10418	180 X 180	7.09" X 7.09"
10420	180 X 280	7.09" X 11.02"
10425	180 X 480	7.09" X 18.90"
10430	200 X 280	7.87" X 11.02"
10440	200 X 320	7.87" X 12.60"
10450	200 X 440	7.87" X 17.32"
10453	220 X 270	8.66" X 10.63"
10457	220 X 330	8.66" X 12.99"
10459	230 X 230	9.06" X 9.06"
10465	230 X 460	9.06" X 18.11"
10508	240 X 240	9.45" X 9.45"

COD.	mm	inches
10461	240 X 450	9.45" X 17.72"
10468	240 X 480	9.45" X 18.90"
10455	250 X 260	9.84" X 10.24"
10475	250 X 290	9.84" X 11.42"
10460	250 X 300	9.84" X 11.81"
10472	250 X 350	9.84" X 13.78"
10470	250 X 470	9.84" X 18.50"
10480	250 X 670	9.84" X 26.38"
10471	250 X 750	9.84" X 29.53"
10489	260 X 475	10.24" X 18.70"
10483	270 X 310	10.63" X 12.20"
10486	270 X 780	10.63" X 30.71"
10487	300 X 400	11.81" X 15.75"
10481	300 X 460	11.81" X 18.11"
10485	300 X 490	11.81" X 19.29"
10488	300 X 640	11.81" X 25.20"
10490	305 X 1150	12.01" X 45.28"
10500	315 X 660	12.40" X 25.98"
10501	315 X 1080	12.40" X 42.52"

COD.	mm	inches
10502	315 X 1150	12.40" X 45.28"
10504	330 X 1080	12.99" X 42.52"
10482	350 X 500	13.78" X 19.69"
10507	360 X 360	14.17" X 14.17"
10509	360 X 580	14.17" X 22.83"
10503	380 X 760	14.96" X 29.92"
10506	390 X 880	15.35" X 34.65"
10505	390 X 1940	15.35" X 76.38"
10510	400 X 400	15.75" X 15.75"
10515	400 X 540	15.75" X 21.26"
10520	400 X 900	15.75" X 35.43"
10525	420 X 480	16.54" X 18.90"
10527	430 X 430	16.93" X 16.93"
10528	440 X 600	17.32" X 23.62"
10529	450 X 1550	17.72" X 61.02"
10532	500 X 500	19.69" X 19.69"
10530	500 X 750	19.69" X 29.53"

PUÒ ESSERE FORNITO IN QUALSIASI MISURA SPECIALE VENGA SPECIFICATAMENTE RICHIESTA
CAN ALSO BE SUPPLIED IN ANY SPECIAL SIZE REQUIRED / SE PUEDE SUMINISTRAR EN CUALQUIER TAMAÑO ESPECIAL BAJO PEDIDO

RECIRCULATION FILTER BETA-F TECHNOTRANS



CODICE - CODE - CÓDIGO

10098




CODICE - CODE - CÓDIGO

10098-A



FILTRI PARASPRUZZI PER GRUPPI MACINAZIONE HEIDELBERG SPLASH FILTERS FOR HEIDELBERG GRINDING GROUPS FILTROS DE SALPICADURAS PARA GRUPOS TRITURADO HEIDELBERG



FORNIBILE IN QUALSIASI MISURA - CAN BE SUPPLIED IN ANY SIZE
SE PUEDE SUMINISTRAR EN CUALQUIER TAMAÑO



CODE	DIMENSIONI - SIZES - TAMAÑOS
20000	XL 105 - MM 1058 x MM 118
20150	XL 105 - MM 1065 x MM 120
20100	XL 106 - MM 1150 x MM 365
20105	XL 106 - MM 1160 x MM 365
20160	XL 162 - MM 1820 x MM 165
CODE	DIMENSIONI - SIZES - TAMAÑOS
20300	XL 105 - MM 1058 x MM 118
20450	XL 105 - MM 1065 x MM 120
20400	XL 106 - MM 1150 x MM 365
20405	XL 106 - MM 1160 x MM 365
20460	XL 162 - MM 1820 x MM 165
CODE	DIMENSIONI - SIZES - TAMAÑOS
20600	XL 105 - MM 1058 x MM 118
20750	XL 105 - MM 1065 x MM 120
20700	XL 106 - MM 1150 x MM 365
20705	XL 106 - MM 1160 x MM 365
20760	XL 162 - MM 1820 x MM 165

MAGIC Air FILTER


FILTRI ARIA CABINE IMPIANTI E ASPIRAZIONI
 AIR FILTERS FOR ASPIRATION SYSTEMS
 FILTROS DE AIRE PARA IMPLANTES DE ASPIRACION



HEIDELBERG

CODICE - CODE - CÓDIGO


10080



HEIDELBERG

CODICE - CODE - CÓDIGO

10088



HEIDELBERG

CODICE - CODE - CÓDIGO


10084



HEIDELBERG

CODICE - CODE - CÓDIGO

10086



HEIDELBERG

CODICE - CODE - CÓDIGO

10082



HEIDELBERG

COMPATIBLE WITH OEM CODE
FS.102.3801

CODICE - CODE - CÓDIGO

10083



TECHNOTRANS
SM74 / 74CD / 75XL / 102 / 102CD-SX-XL

CODICE - CODE - CÓDIGO


10096



HEIDELBERG

CODICE - CODE - CÓDIGO


10094



HEIDELBERG

CODICE - CODE - CÓDIGO

10090



AIR FILTER FOR SPRAY POWDER UNIT FOR:
SORM/SORD/SORS/MO/SM102/CD102

COMPATIBLE WITH OEM PART
00.780.3702

CODICE - CODE - CÓDIGO

10091



AIR FILTER FOR:

SM74/CD74/SM102/CD102/CD102/SX/CX/XL


	COMPATIBLE WITH OEM PART	CODICE - CODE - CÓDIGO
	47.018.106	10092



AIR FILTER FOR SPRAY POWDER UNIT FOR:

WEKO SYSTEM FOR: SM/CD/CX/SX/XL PRESSES

	COMPATIBLE WITH OEM PART	CODICE - CODE - CÓDIGO
	L8.164.1510	10093



SBOBINATORE CONTI WEB

Ø	CODICE - CODE - CÓDIGO
160 mm	10095
140 mm	10095A




FILTER FOR FOUNT COOLING DEVICE FOR:

COOLING UNITS FOR SM/CD/XL: ALL MODELS

	COMPATIBLE WITH OEM PART	CODICE - CODE - CÓDIGO
	63.196.1911	10404

MAGIC FILTER[®] AIR

PER SISTEMI D'ARIA / FOR AIR SYSTEMS
PARA SISTEMAS DE AIRE:
UTA - GABINE - COMPRESSORS



FORNIBILE IN QUALSIASI MISURA
CAN BE SUPPLIED IN ANY SIZE
SE PUEDE SUMINISTRAR EN CUALQUIER TAMAÑO


CODICE CODE / CÓDIGO	MISURE / SIZES TAMAÑOS "STANDARD"
10104	160 MM X 340 MM
10103	200 MM X 440 MM
10105	210 MM X 210 MM
10106	235 MM X 550 MM
10107	285 MM X 285 MM
10108	275 MM X 750 MM
10110	510 MM X 1210 MM
10111	420 MM X 1100 MM
10112	520 MM X 1300 MM
10115	580 MM X 1440 MM
10118	590 MM X 1220 MM
10125	670 MM X 1470 MM
10130	680 MM X 1440 MM
10135	700 MM X 900 MM
10140	720 MM X 1420 MM
10143	870 MM X 1300 MM
10150	1100 MM X 1300 MM

RICHIEDETE IL LISTINO PREZZI RELATIVO ALL'INTERA GAMMA DI MATERASSINI IN FORMATO "MAGIC FILTER[®]"

ASK FOR THE PRICE LIST REGARDING THE FULL RANGE OF "MAGIC FILTER[®]" MATS IN CUT PIECES

SOLICITE LA TARIFA DE PRECIOS CORRESPONDIENTE A LA GAMA COMPLETA DE ESTE MATERIAL ACOLCHADO EN FORMATOS "MAGIC FILTER[®]"

MAGIC OIL FILTER.®



OIL FILTER FOR SPEEDMASTER SERIES


COMPATIBLE WITH OEM PART	CODICE - CODE - CÓDIGO
....	10401



OIL FILTER FOR SPEEDMASTER SERIES

OLD MODEL

COMPATIBLE WITH OEM PART	CODICE - CODE - CÓDIGO
00.580.1558/02	10402



New Model

OIL FILTER CARTRIDGE FOR:

SM52/SM102/CS92/SX52/SX102/CD74/CD102
XL75/XL105/XL106/XL145/XL162/PRIMEFIRE106
NEW MODEL

COMPATIBLE WITH OEM PART	CODICE - CODE - CÓDIGO
00.581.0246/02	10403



PULIZIA E SICUREZZA - CLEANLINESS AND SAFETY
LIMPIEZA Y SEGURIDAD

ORDINE MINIMO 4 PEZZI
MINIMUM ORDER 4 PCS
PEDIDO MINIMO 4 PIEZAS

CODICE - CODE - CÓDIGO

10048

CYLINDER JACKET PLANET

THE MOST COMPLETE PROGRAMME OF JACKETS THAT HAS EVER BEEN PROPOSED

IMPRESSION
CYLINDER
JACKETS
CERAMIC TREATED
AND
UNTREATED

TRANSFER
CYLINDER JACKETS
TREATED AND UNTREATED

PROTECTIVE CYLINDER
JACKETS
AND
DIE CUTTING JACKETS

SUPER FILM
JACKETS
AND
TRANSFER
CYLINDER
JACKETS

SPEED NET
FOR TRANSFER CYLINDER
AND
UNDER NET JACKETS

CYLINDER JACKET PLANET



TOP QUALITY

IMPRESSION CYLINDER JACKETS

HEIDELBERG



CERAMIC TREATED IMPRESSION CYLINDER JACKETS




CAMICIE PER CILINDRI DI PRESSIONE TRATTATE IN CERAMICA



CAMISAS CON TRATAMIENTO CERAMICO PARA CILINDROS DE PRESION

Heidelberg SM102 with Jackets

● Impression ● Blanket ● Transfer




THE NUMBER 1
for **QUALITY** and
ENDURANCE !!

ARTICLE CODE	PRESS MODEL	THICKNESS IN MM	BASE DIM (L x W)	OEM PART NUMBER
11420	SM 102	0,251 - 0,255	1040 x 736,5	S8.581.184.N
11421	SM 102	0,256 - 0,260	1040 x 736,5	S8.581.185.N
11422	SM 102	0,261 - 0,265	1040 x 736,5	S8.581.186.N
11423	SM 102	0,265 - 0,270	1040 x 736,5	S8.581.187.N
11424	SM 102	0,285 - 0,290	1040 x 736,5	S9.581.183.N
11425	SM 102	0,296 - 0,300	1040 x 736,5	S9.581.184.N
11426	SM 102/102SX	0,301 - 0,305	1040 x 736,5	S9.581.185.N
11427	SM 102	0,306 - 0,310	1040 x 736,5	S9.581.186.N
11428	SM 102	0,311 - 0,315	1040 x 736,5	S9.581.187.N
11429	SM 102	0,320 - 0,340	1040 x 736,5	SA.581.183.N
11432	SM 74	0,296 - 0,300	758 x 577	M2.581.184.N
11433	SM 74	0,301 - 0,305	758 x 577	M2.581.185.N
11434	SM 74	0,306 - 0,310	758 x 577	M2.581.186.N
11435	SM 74	0,311 - 0,315	758 x 577	M2.581.187.N
11438	SM 52	0,296 - 0,300	531,5 x 414	G2.581.184.N
11439	SM 52	0,301 - 0,305	531,5 x 414	G2.581.185.N
11440	SM 52	0,306 - 0,310	531,5 x 414	G2.581.186.N
11441	SM 52	0,311 - 0,315	531,5 x 414	G2.581.187.N
11443	XL 105		1059 x 788	F2.581.183.N
11444	XL 105	0,296 - 0,300	1059 x 788	F2.581.184.N
11445	XL 105	0,301 - 0,305	1059 x 788	F2.581.185.N
11446	XL 105	0,306 - 0,310	1059 x 788	F2.581.186.N
11447	XL 105	0,311 - 0,315	1059 x 788	F2.581.187.N
11450	XL 75 / CD 74	0,296 - 0,300	758 x 646	L2.581.184.N
11451	XL 75 / CD 74	0,301 - 0,305	758 x 646	L2.581.185.N
11452	XL 75 / CD 74	0,306 - 0,310	758 x 646	L2.581.186.N
11453	XL 75 / CD 74	0,311 - 0,315	758 x 646	L2.581.187.N
11456	XL 106	0,296 - 0,300		F4.581.184.N
11457	XL 106	0,301 - 0,305		F4.581.185.N
11458	XL 106	0,306 - 0,310		F4.581.186.N
11459	XL 106	0,311 - 0,315		F4.581.187.N



-Heidelberg black
(Standard product)



-Heidelberg grey
(On request)

IMPORTANT - IMPORTANTE - IMPORTANTE



The mounting of the Impression Cylinder Jackets must be done by highly-qualified technicians specialized in the maintenance and servicing of printing presses.



Il montaggio delle Impression Cylinder Jackets deve essere svolto da tecnici specializzati nel mantenimento e nel servizio delle macchine da stampa.



El montaje del Impression Cylinder Jackets debe hacerse por técnicos especializados en el mantenimiento y servicios técnicos de las máquinas de imprimir.


ROYAL REFINED IMPRESSION

🇬🇧 **CYLINDER JACKETS**

🇮🇹 **CAMICIE DI PRESSIONE**

🇪🇸 **CAMISAS DE PRESION**

HEIDELBERG (old model)




-Heidelberg grey

IMPORTANT - IMPORTANTE - IMPORTANTE

- 🇬🇧 The mounting of the Royal Refined Jackets must be done by highly-qualified technicians specialized in the maintenance and servicing of printing presses.
- 🇮🇹 Il montaggio delle Royal Refined Jackets deve essere svolto da tecnici specializzati nel mantenimento e nel servizio delle macchine da stampa.
- 🇪🇸 El montaje del Royal Refined Jackets debe hacerse por técnicos especializados en el mantenimiento y servicios técnicos de las máquinas de imprimir.

● Impression ● Blanket ● Transfer



ARTICLE CODE	PRESS MODEL	THICKNESS IN MM	OEM PART NUMBER
11300	GTO 46	0,310 - 0,315	52.581.173.N
11305	GTO 52	0,310 - 0,315	79.581.173.N
11315	SM 52	0,310 - 0,315	G2.581.173.N
11310	MO 65	0,310 - 0,315	53.581.173.N
11320	SM 72	0,310 - 0,315	93.581.173.N
11322	SM 74 (NO HOLES)	0,310 - 0,315	M2.581.173.N
11323	SM 102	0,270	S8.581.173.N
11330	SM 102	0,310 - 0,315	S9.581.173.N

TRANSFER CYLINDER JACKETS HEIDELBERG



TRANSFER CYLINDER JACKETS




CAMICIE PER CILINDRI DI TRASFERIMENTO



CAMISAS PARA CILINDROS DE TRANSFERENCIA

STEEL - ACCIAIO - ACERO



IMPORTANT - IMPORTANTE - IMPORTANTE



The mounting of the Transfer Cylinder Jackets must be done by highly-qualified technicians specialized in the maintenance and servicing of printing presses.

The Transfer Cylinder Jackets can also be replaced singularly when necessary.



Il montaggio delle Transfer Cylinder Jackets deve essere svolto da tecnici specializzati nel mantenimento e nel servizio delle macchine da stampa.

Le Transfer Cylinder Jackets possono anche essere sostituite singolarmente se necessario.



El montaje del Transfer Cylinder Jackets debe hacerse por técnicos especializados en el mantenimiento y servicios técnicos de las máquinas de imprimir.

El Transfer Cylinder Jackets también puede ser reemplazado individualmente si es necesario.

ARTICLE CODE	PRESS MODEL	OEM PART NUMBER
11316	SM 52	G2.215.105.N/S
11317	SX 52	G6.215.105.N
11325	SM 74 / PM 74 (8HOLES)	M2.215.105N/S
11326	CD 74 / XL 75	L8.215.105.N
11327	CD 74 / XL 75	L2.583.105.N
11328	SX 74	D5.215.105.N
11335	SM 102	S8.215.201N
11335A	SX 102	TC.215.201.N
11336	XL 105	F3.215.201.N
11336A	XL 106	F6.583.201.N
11336A	XL 106 (SINGLE CYLINDER)	F6.583.201.N
11336B*	XL 106 (DOUBLE CYLINDER)	F7.215.201.N


*MOST FREQUENTLY SOLD

SUPER FILM JACKETS HEIDELBERG

FLEXIBLE - FLESSIBILE

Transfer Cylinder Jackets for HEIDELBERG

GLASS BEAD TECHNOLOGY



🇬🇧 ANTI-MARKING SYSTEMS


- Microscopic glass bead surface
- Specially formulated coating
- Durable, ink resistant
- Long-lasting, washable

🇮🇹 SISTEMA ANTI-MACCHIA

- Superficie in microsfere di vetro
- Speciale rivestimento
- Alta repellenza agli inchiostri
- Alta resistenza, lavabile

🇪🇸 SISTEMA ANTI-REPINTE

- Superficie en microesferas de vidrio
- Recubrimiento especial
- Alta repelencia a las tintas
- Alta resistencia, lavable




*Key: L=Loop / R=Rivet

ARTICLE CODE	PRESS MODEL	OEM PART NUMBER
	TRANSFER CYLINDER	
11600	GTO 52 - L S	
11605	SPEEDMASTER 52 - T	G2.215.105N/S
11610	MO 65	
11615	SPEEDMASTER 72 - L - L	
11625	SPEEDMASTER 74 - T (8 HOLES)	M2.215.105N/S
11630	SPEEDMASTER 102 L - L (PRE 1994/95) WITH SLOTS	
11635	SPEEDMASTER 102 R - L (POST 1994/95) WITH RIVETS	S8.215.201N
	DELIVERY CYLINDER	
11650	SPEEDMASTER 52 (530x410) L-L	
11652	SPEEDMASTER 72	
11655	SPEEDMASTER 74 (735x575) L-L	
11660	SPEEDMASTER 102 (1020x762) L-L	
11665	SPEEDMASTER 102 (1020x705) L-L	


(RIVET-LOOP)

CODE 11635

SPEEDMASTER 102
(POST 1994/95)



(RIVET)




(LOOP)


(CLAMP-EDGE)

CODE 11625

SPEEDMASTER 74
(PRINTMASTER 74)



(CLAMP)



(EDGE)

(LOOP - LOOP)

CODE 11615

SPEEDMASTER 72
(TRANSFER)

CODE 11665

SPEEDMASTER 102
(DELIVERY)

CODE 11660

SPEEDMASTER 102
(DELIVERY)

CODE 11630

SPEEDMASTER 102
(TRANSFER)
(PRE 1994/95)

CODE 11650

SPEEDMASTER 52
(DELIVERY)



(LOOP)



(LOOP)


(LOOP-EDGE)

CODE 11600


GTO52-LS

CODE 11610


MO



(LOOP)




(EDGE)




(EDGE-EDGE)

CODE 11605

SPEEDMASTER 52




(EDGE)



(EDGE)

SPEED FILM BLUE STANDARD




SPEED FILM BLUE STANDARD
può essere fornito
tagliato in fogli (in qualsiasi misura
in formato) o in rotoli

SPEED FILM BLUE STANDARD
can be supplied either
in formatted sheets
(in any size) or in rolls

SPEED FILM BLUE STANDARD
se puede suministrar
cortado en formatos
(de cualquier medida)
o en rollos

SPEED FILM BLUE PLUS



SPEED FILM BLUE PLUS
può essere fornito
tagliato in fogli (in qualsiasi misura
in formato) o in rotoli

SPEED FILM BLUE PLUS
can be supplied either
in formatted sheets
(in any size) or in rolls

SPEED FILM BLUE PLUS
se puede suministrar
cortado en formatos
(de cualquier medida)
o en rollos

SPEED PAPER




SPEED PAPER/CARTA
può essere fornito
tagliato in fogli
(in qualsiasi misura
in formato) o in rotoli

SPEED PAPER
can be supplied either
in formatted sheets
(in any size) or in rolls

SPEED PAPER/PAPEL
se puede suministrar
cortado en formatos
(de cualquier medida)
o en rollos

ADESIVO / ADHESIVE / ADHESIVO ☒

NON ADESIVO / NON-ADHESIVE / NO ADHESIVO ☒



Ingrandimento superficie
Surface enlargement
Ampliación superficie

RUGOSITÀ DELLE SUPERFICIE
SURFACE ROUGHNESS
RUGOSIDAD DE LA SUPERFICIE

70 my

SPESSORE
THICKNESS
ESPESOR

0,16 mm

ADESIVO / ADHESIVE / ADHESIVO ☒

NON ADESIVO / NON-ADHESIVE / NO ADHESIVO ☒



Ingrandimento superficie
Surface enlargement
Ampliación superficie

RUGOSITÀ DELLE SUPERFICIE
SURFACE ROUGHNESS
RUGOSIDAD DE LA SUPERFICIE


170 my

SPESSORE
THICKNESS
ESPESOR

0,37 mm

ADESIVO / ADHESIVE / ADHESIVO ☐

NON ADESIVO / NON-ADHESIVE / NO ADHESIVO ☒



Ingrandimento superficie
Surface enlargement
Ampliación superficie



RUGOSITÀ DELLE SUPERFICIE
SURFACE ROUGHNESS
RUGOSIDAD DE LA SUPERFICIE

130 my

SPESSORE
THICKNESS
ESPESOR

0,27 mm

SPEED



Il primo "esclusivo" prodotto di lavaggio universale specifico per la pulizia di qualsiasi sistema antimacchia con supporto in poliestere
The first and "unique" universal product specific for the cleaning of any anti-marking system with substrate in polyester
El primero y "unico" producto universal específico para la limpieza de cualquier sistema antirrepinte con soporte de poliéster

Su richiesta possiamo fornire qualsiasi formato di SPEED FILM e SPEED PAPER completi di biadesivo già applicato ai bordi di ogni foglio

On specific request we can supply any size of SPEED FILM and SPEED PAPER complete with bi-adhesive strips already attached to the edges of each sheet

Bajo pedido podemos suministrar cualquier formato de SPEED FILM y SPEED PAPER con el biadhesivo ya aplicado en el borde de cada hoja



"SPEED FILM BLUE" è realizzato su un supporto in poliestere. È fornito nella versione "adesiva" e "non adesiva". Il supporto repellente "SPEED FILM BLUE" è stato creato per risolvere e prevenire i problemi di sporco ed accumulo di inchiostro sui cilindri di trasferimento prima che l'inchiostro si asciughi. La risposta a questo problema è "SPEED FILM BLUE" (nella versione adesiva e non). "SPEED FILM BLUE" grazie alla sua eccezionale superficie garantisce una stampa di alta qualità riducendo al minimo lo spreco di carta.



"SPEED FILM BLUE" is made on a polyester substrate. It can be supplied in the "adhesive" or "non-adhesive" version. "SPEED FILM BLUE" has been created to prevent and solve problems with dirt and ink build-up on transfer cylinders. Increasingly higher speeds of offset printing machines mean that printed sheets pass between transfer cylinders before the ink has dried. "SPEED FILM BLUE" (in the adhesive and non adhesive version) is the answer to this problem. "SPEED FILM BLUE", thanks to its exceptional surface, guarantees high quality printing and reduces paper waste to a minimum.



"SPEED FILM BLUE" está realizado sobre un soporte de poliéster. Se suministra en las versiones "Adhesivo" y "No Adhesivo". El soporte repelente "SPEED FILM BLUE" ha sido creado para resolver y prevenir los problemas de suciedad y acumulación de tinta sobre los cilindros de transferencia antes de que la tinta se seque. La respuesta a este problema es el "SPEED FILM BLUE" (en la versión adhesiva o no). "SPEED FILM BLUE" gracias a su excepcional superficie garantiza una impresión de alta calidad reduciendo al mínimo las máculas.



"SPEED PAPER" è realizzato su supporto di carta, ed è realizzato esclusivamente nella versione "non adesiva". Il supporto repellente "SPEED PAPER/CARTA" è stato creato per risolvere e prevenire i problemi di sporco ed accumulo di inchiostro sui cilindri di trasferimento prima che l'inchiostro si asciughi. La risposta a questo problema è "SPEED PAPER/CARTA". "SPEED PAPER/CARTA" grazie alla sua eccezionale superficie, garantisce una stampa di alta qualità riducendo al minimo lo spreco di carta.



"SPEED PAPER" is made on a paper substrate and is only available in the "non-adhesive" version. "SPEED PAPER" has been created to prevent and solve problems with dirt and ink build-up on transfer cylinders. Increasingly higher speeds of offset printing machines mean that printed sheets pass between transfer cylinders before the ink has dried. "SPEED PAPER" is the answer to this problem. "SPEED PAPER" thanks to its exceptional surface, guarantees high quality printing and reduces paper waste to a minimum.



"SPEED PAPER" está realizado sobre un soporte de papel y exclusivamente en la versión "No Adhesivo". El soporte "SPEED PAPER/PAPEL" ha sido creado para resolver y prevenir los problemas de suciedad y acumulación de tinta sobre los cilindros de transferencia antes de que la tinta se seque. La respuesta a este problema es "SPEED PAPER/PAPEL". "SPEED PAPER/PAPEL" gracias a su excepcional superficie garantiza una impresión de alta calidad reduciendo al mínimo las máculas.

UNDER NET JACKETS

- 🇬🇧 **BASE COVER JACKETS**
- 🇮🇹 **CAMICIE DI RIVESTIMENTO DI BASE**
- 🇪🇸 **CAMISAS BASE PARA REVESTIMIENTO**

HEIDELBERG

FOR "NET" TECHNOLOGY ANTI-MARKING / PER TECNOLOGIA "NET" - ANTI-MACCHIA /
PARA TECNOLOGIA "NET" ANTI-REPINTE

BLUE - BLU - AZUL

ARTICLE CODE



11640

OEM: 79.215.828

DESCRIPTION

BASE COVER TRANSFER

GTO 52



ARTICLE CODE



11641

OEM: G2.215.828

DESCRIPTION

BASE COVER TRANSFER

SPEEDMASTER 52



11643

OEM: G2.014.401

BASE COVER **DELIVERY**

SPEEDMASTER 52

ARTICLE CODE



11642

OEM: 53.215.828

DESCRIPTION

BASE COVER TRANSFER

MO 65



ARTICLE CODE

11644

OEM: 73.215.828

DESCRIPTION

BASE COVER TRANSFER

SPEEDMASTER 72



11645**

OEM: 93.714.710

BASE COVER **DELIVERY**

SPEEDMASTER 72

UNDER NET JACKETS

- 🇬🇧 For “Net” Technology anti-marking
- 🇮🇹 Per tecnologia “Net” anti-macchia
- 🇪🇸 Para la tecnología “Net” anti-repinte

ARTICLE CODE 11646 OEM: M2.215.828	DESCRIPTION BASE COVER TRANSFER SPEEDMASTER 74	 (EDGE)	 (CLAMP)
11646A OEM: M2.014.053	BASE COVER DELIVERY SPEEDMASTER 74	 (LOOP)	 (LOOP)
ARTICLE CODE 11647 OEM: 61.215.828	DESCRIPTION BASE COVER TRANSFER SPEEDMASTER 102 OLD MODEL, PRE 94/95	 (RIVET)	 (LOOP)
11647B** OEM: 91.714.710	BASE COVER DELIVERY SPEEDMASTER 102 OLD MODEL, PRE 94/95	ARTICLE CODE 11648 OEM: S8.215.101	DESCRIPTION BASE COVER TRANSFER SPEEDMASTER 102 NEW MODEL, POST 94/95






Edges with Velcro strips.
Rifinite con Velcro sui bordi.
Con velcro en los bordes.

- ** RICHIEDIAMO CAMPIONE - REALIZZATA SU RICHIESTA
- ** A SAMPLE IS REQUIRED - MADE TO ORDER
- ** SE REQUIERE UNA MUESTRA - HECHO BAJO PEDIDO

SPEED NET

Transfer Cylinder Nets

-  Anti-marking net to apply onto transfer cylinders on printing presses to prevent colour build-up.
-  Tessuto repellente all'inchiostro da applicare sui cilindri di trasferimento per la prevenzione dell'accumulo di colore.
-  Tejido repelente a la tinta para aplicar en cilindros de transferencia para la prevención de la acumulación de tinta.




NET TECHNOLOGY

ANTI-MARKING SYSTEMS - SISTEMA ANTI-MACCHIA - SISTEMA ANTI-REPINTE

- | | | |
|--|--|--|
| <ul style="list-style-type: none"> - Stretchable, flexible Net - Ink and water repellent - Quick installation | <ul style="list-style-type: none"> - Tessuto flessibile - Repellente ad acqua e inchiostro - Rapida Installazione | <ul style="list-style-type: none"> - Tejido flexible - Repelente al agua y tinta - Instalación rápida |
|--|--|--|

CODE	ARTICLE	MACHINE SIZE MM/INCHES	FOR USE ON THE MACHINES LISTED BELOW
2721896	SPEED 1	36 X 52/23"	GTO 52/SM 52 AND OTHER SMALL OFFSET PRESSES
2721897	SPEED 2	48 X 65/26"	MO 65
2721898	SPEED 3	52 X 72/54 X 74 28"/29"	SM 72/SM74
2721899	SPEED 4	64 X 91,5/36"	SORD
2721900	SPEED 5	72 X 102/40"	SM 102/CD 102
2721900A	SPEED 5/6	82 X 113/44"	
2721901	SPEED 6	90 X 132/50"	
2721902	SPEED 7	100 X 140/56"	
2721903	SPEED 8	120 X 160/63"	
2721904	SPEED 9	129 X 185/72"	
2721905	SPEED 10	149 X 205/80"	
2721893	ADHESIVE VELCRO (HOOK)	ROLLS OF 25 METRES	
2721894	NON-ADHES.VELCRO (LOOP)		





ROYAL IMPRESSION JACKETS HEIDELBERG

- 🇬🇧 STEEL, BRASS AND PLASTIC (**NO TREATMENT**)
- 🇮🇹 ACCIAIO, OTTONE E PLASTICA (**SENZA TRATTAMENTO**)
- 🇪🇸 ACERO, LATON Y PLASTICO (**SIN TRATAMIENTO**)

ARTICLE CODE	PRESS MODEL	OEM PART NUMBER	MATERIAL	THICKNESS IN MM
3895	QUICKMASTER 46 / PRINTMASTER 46	A1.430.053N	STEEL	0,30
3895A	QUICKMASTER 46 / PRINTMASTER 46	SU22.43.731.080N	BRASS	0,30
3900	GTO 46	42.731.079	PLASTIC	0,50
3905	GTO 46	42.731.080N	BRASS	0,30
3910	GTO 46	42.732.201N	STEEL	0,30
3915	GTO 52 / PRINTMASTER 52	69.731.079	PLASTIC	0,50
3920	GTO 52 / PRINTMASTER 52	69.731.080N	BRASS	0,30
3925	GTO 52 / PRINTMASTER 52	69.732.201N	STEEL	0,30
3930	SPEEDMASTER 52 / PRINTMASTER 52		PLASTIC	0,50
3935	SPEEDMASTER 52 / PRINTMASTER 52	G1.011.273N	BRASS	0,30
3940	SPEEDMASTER 52 / PRINTMASTER 52	G1.011.173N	STEEL	0,30
3942 *	SPEEDMASTER 52 / PRINTMASTER 52		STEEL	0,30
3945	MO - 65	43.731.079	PLASTIC	0,50
3950	MO - 65	43.731.080N	BRASS	0,30
3955	MO - 65	43.732.201/F	STEEL	0,30
3960	KOR - 57	08.011.073-F	STEEL	0,50
3965	KORA - 57	18.011.073-F	STEEL	0,50
3970	KORD - 62	38.011.073-F/F	STEEL	0,50
3975	KORD - 64	38.011.073F/02D	STEEL	0,50
3980	KORS - 72	48.011.073F	STEEL	0,50
3985	SPEEDMASTER 72		PLASTIC	0,50
3990	SPEEDMASTER 72		BRASS	0,30
3995	SPEEDMASTER 72		STEEL	0,30
4000	SPEEDMASTER 74 / PRINTMASTER 74		PLASTIC	0,50
4005	SPEEDMASTER 74 / PRINTMASTER 74		BRASS	0,30
4010	SPEEDMASTER 74 / PRINTMASTER 74	M1.011.173N	STEEL	0,30
4011	SPEEDMASTER 74 -NUMBERING GROUP		PLASTIC + BARS	0,50
4012 *	SPEEDMASTER 74 (8 HOLES)		STEEL	0,30
4013	SPEEDMASTER 74 CD	L2.011.173S	STEEL	0,30
4013A	SPEEDMASTER XL 75		STEEL	0,30
4015	SPEEDMASTER 102 - SORS 102	91.430.173	STEEL	0,30
		C4.581.173N		
4016 *	SPEEDMASTER 102 - 102 CD (10 RIVETS)		STEEL	0,30

* TRANSFER CYLINDER

🇬🇧 DIE CUTTING JACKETS


🇮🇹 CAMICIE PER FUSTELLARE

🇪🇸 CAMISAS PARA TROQUELAR

HEIDELBERG




STEEL - ACCIAIO - ACERO



ARTICLE CODE	PRESS MODEL	OEM PART NUMBER	MACHINE SIZE	THICKNESS IN MM
4050 *	PLATEN "T" (26x38) NEW	01.552.010/01	26 x 38	0,80
4055 *	PLATEN "GT" (32x46) NEW	02.552.011/FB	32 x 46	0,80
4060	KS	04.341.001F	38 x 52	0,80
4065	KSB	14.341.001F	40 x 57	0,80
4070	KSBA	54.341.001F	46 x 58,5	0,80
4071	KSBZ (SPECIAL)		40 x 58,5	0,80
4075	KSBAZ (SPECIAL)	54.341.001F/01	46 x 57	0,80
4080	KSD	74.341.001F/A	46 x 64	0,80
4085	S (OHZ)	03.341.001.F	54 x 72	0,80
4090	SB - SBG	15.011.003.F	56 x 77	0,80
4095	SBG (SPECIAL)	MV.018.724	54 x 77	0,80
4100	SBB	16.011.003.F	57 x 82	0,80
4105	SBD	36.341.001F	64x 90	0,80
4110	SBD (SPECIAL)		64 x 89	0,80

* EXTRA HARD STEEL



SPAZZOLE LAVACAUCCIÙ BLANKET AUTOWASH BRUSHES CEPILLOS LAVACAUCHOS

Original

VECCHIO MODELLO
(PRODOTTA FINO AL 1998 INCLUSO)
OLD MODEL
(MANUFACTURED UP TO END OF 1998)
MODELO VIEJO
(FABRICADO HASTA EL AÑO 1998 INCLUIDO)

16 mm - 0,63"
Ø 83 mm - 3,27"
1120 mm - 44,09"

SPAZZOLA LAVACAUCCIÙ PER:
BLANKET AUTOWASH BRUSH FOR:
CEPILLO LAVACAUCHOS PARA:

HEIDELBERG SPEEDMASTER 102/102 CD
TUTTI I MODELLI - ALL MODELS - TODOS LOS MODELOS

CODICE - CODE - CÓDIGO	
	4903

Original

NUOVO MODELLO
(PRODOTTA DAL 1999)
NEW MODEL
(MANUFACTURED FROM 1999)
MODELO NUEVO
(FABRICADO A PARTIR DEL 1999)

15 mm - 0,59"
Ø 83 mm - 3,27"
1113 mm - 43,82"

NEW

SPAZZOLA LAVACAUCCIÙ PER:
BLANKET AUTOWASH BRUSH FOR:
CEPILLO LAVACAUCHOS PARA:

HEIDELBERG SPEEDMASTER 102/102 CD
TUTTI I MODELLI - ALL MODELS - TODOS LOS MODELOS

CODICE - CODE - CÓDIGO	
	4904-A

Original

16 mm - 0,63"
Ø 83 mm - 3,27"
1138 mm - 44,80"

SPAZZOLA LAVACILINDRO STAMPA PER:
CYLINDER AUTOWASH BRUSH FOR:
CEPILLO LAVACILINDROS DE IMPRESIÓN PARA:

HEIDELBERG SPEEDMASTER 102/102 CD

CODICE - CODE - CÓDIGO	
	4913


Special Rubber Wash

HEIDELBERG


MEMBRANE LAVACAUCCIU' PER IMPIANTI BALDWIN

RUBBER BLADDERS FOR BALDWIN BLANKET WASHING SYSTEMS


PERFILES DE GOMA PARA SISTEMAS DE LAVADO DE CAUCHOS BALDWIN




1 HEIDELBERG SPEEDMASTER 74
(OLD MODEL)




2 HEIDELBERG SPEEDMASTER 52
(OLD MODEL)



3 HEIDELBERG SPEEDMASTER
52 - 74 - 75XL - 102 -
105XL - 106XL - 145XL - 162XL





GOSS M600 - GOSS M850 (P400)



(P400)

WITH SPRAY BAR INCORPORATED



CHIAVE DI MONTAGGIO PER MEMBRANE BALDWIN
MOUNTING BAR FOR BALDWIN BLADDERS
LLAVE DE MONTAJE PARA MEMBRANA BALDWIN



TELAIO IN ACCIAIO
STEEL FRAME
CHASIS EN ACERO

NEW

SERVIZIO MONTAGGIO MEMBRANA
BLADDER MOUNTING SERVICE
SERVICIO MONTAJE MEMBRANA

- Se ci inviate il telaio con la vecchia membrana consumata, la sostituiamo con la nuova membrana.
- If you send us the steel frame with the old used bladder, we will replace it for you with the new one.
- Si nos envia el chasis con la membrana degastada, se lo sustituiremos con la nueva membrana.




Il Top Quality nel Mondo

Top Quality Worldwide - El Top Quality en el Mundo

BLU-TEX MARINE®



FOILTEX



WHITE TEX®



MICROTEX



BLU-TEX®



PERFECTING TEX®



SPIDER-TEX®



SONTARA PRINTMASTER®



PRE-TEX®



PRETEX AETERNUM PURPLE



**BOBINE E MINIBOBINE DI TESSUTO
PER IMPIANTI LAVACAUCCIU' E LAVACILINDRO**

**JUMBO AND MINI WASHCLOTH ROLLS
FOR BLANKET AND CYLINDER WASHING SYSTEMS**

**BOBINAS Y MINI-BOBINAS DE TEJIDO
PARA INSTALACIONES LAVA-CAUCHOS Y LAVA-CILINDROS**

HEIDELBERG	MM	INCH
SPEEDMASTER 52	540	21,26"
M0 65	670	26,38"
SPEEDMASTER 72	745	29,33"
SPEEDMASTER 74 / 74CD /75XL	765	30,12"
SPEEDMASTER 102CD/102CX/102SX	1040	40,94"
SPEEDMASTER 105 XL	1070	42,13"
SPEEDMASTER 105XL/106XL	1075	42,32"
SPEEDMASTER 106XL	1080	42,52"
SPEEDMASTER 106XL	1090	42,91"
SPEEDMASTER 145 XL /162XL	1650	64,96"

HEIDELBERG WEB OFFSET		INCH
HEIDELBERG HARRIS GOSS M110	695	27,36"
HEIDELBERG HARRIS GOSS M600	985	38,78"
HEIDELBERG HARRIS WEB 16	1010	39,76"
HEIDELBERG HARRIS SUNDAY	1470	57,87"




THE REASONS BEHIND OUR WORLDWIDE SUCCESS!!

BLU-TEX® WHITE-TEX®

BLU-TEX® MARINE




OUR CLOTHS



**INTERLACED
FIBRE**



**MECHANICAL
RESISTANCE**




**HOLDS THE SOLVENT MORE UNIFORMLY
AND WASHES WITH FEWER CONTACTS.
YOU SAVE CONSUMPTION OF CLOTH
AND TIME.**

**=
TOP QUALITY
PRODUCT**

**AND YOU..
IF THEY HAD THE SAME PRICE
WHICH ONE WOULD YOU CHOOSE?**




COMPETITOR'S CLOTH



**PARALLEL
FIBRE**



**MECHANICAL
RESISTANCE**



**DOES NOT HOLD THE SOLVENT WELL
AND WASHES WITH MORE CONTACTS
CONSUMING MORE CLOTH
AND MORE TIME.**

**=
LOW QUALITY
PRODUCT**



**WE HAVE THE ONLY WASHCLOTHS FOR PRINTERS
WITH AN INTERLACED FIBRE!!**

**NEW
PRODUCT**
The Number
One



SPIDER TEX

UNIVERSAL MICRO-PERFORATED WASHCLOTH !

*for sheetfed offset and web offset presses

SPECIAL CLOTH

WITH EXCELLENT CLEANING CAPACITY
FOR BOTH **PRINTING BLANKETS**
AND **PERFECTING CYLINDERS**.

- ABRASION RESISTANCE	●●●●○
- RAPID ABSORPTION	●●●●○
- INK REMOVAL	●●●●●
- PAPER DUST REMOVAL	●●●●●
- LINTING	●○○○○

JUMBO ROLLS OF 350 LINEAR METRES OR MINI-ROLLS
AVAILABLE IN ANY WIDTH !




www.pavanvr.com

PERFECTING TEX®

TESSUTO SPECIALE PER IL LAVAGGIO AUTOMATICO DELLE CAMICIE TRATTATE
PER I CILINDRI DI PRESSIONE DELLE MACCHINE BIANCA E VOLTA

SPECIAL WASHCLOTH FOR AUTOMATIC WASHING OF TREATED IMPRESSION CYLINDER JACKETS
IN THE PERFECTING UNITS OF THE PRESS

TEJIDO ESPECIAL PARA EL LAVADO AUTOMATICO DE LAS CAMISAS TRATADAS DE LOS CILINDROS
DE PRESION PARA MAQUINAS DE TIRO Y RETIRO





La speciale superficie "in rilievo" di "PERFECTING TEX" rimuove più facilmente i residui di inchiostro e di polvere di carta presente sulla superficie della camicia. "PERFECTING TEX" è molto resistente all'abrasione, non si sfilza e non lascia residui.



The special surface "relief" surface of the "PERFECTING TEX" removes ink residues and paper dust more easily from the surface of the jacket. "PERFECTING TEX" has a high scratch resistance, it does not fray or leave residue.



La superficie especial "en relieve" del "PERFECTING TEX", recoge con facilidad los residuos de tinta y del polvo del papel que se encuentran en la superficie de la camisa. "PERFECTING TEX" es muy resistente a la abrasión, no se deshila y no deja residuos.



ONLY FOR PERFECTING UNITS

HEIDELBERG

PERFECTING TEX® MINI

CODICE CODE CODIGO	MODELLO MACCHINA MACHINE MODEL MODELO MAQUINA	ALTEZZA MM WIDTH MM ANCHO MM	LUNGHEZZA MT LENGTH M. LONGITUD M.	ROTOLI PER SCATOLA ROLLS PER BOX ROLLOS POR CAJA
16004	SPEEDMASTER 52	540	8	24
16005	SPEEDMASTER 74 / 74CD / 75XL	765	8	24
16005A	SPEEDMASTER 74CD	765	12	15
16010	SPEEDMASTER 102	1040	8	24
16015	SPEEDMASTER 105 XL	1070	8	24
16015E	SPEEDMASTER 105 XL PLUS	1070	8	20
16015B	SPEEDMASTER 105 XL	1070	10	24
16015C	SPEEDMASTER 105 XL	1070	12	24
16015D	SPEEDMASTER 105XL / 106XL	1075	8	24
16016A	SPEEDMASTER 106 XL	1080	8	24
16016B	SPEEDMASTER 106 XL PLUS	1080	8	20
16016	SPEEDMASTER 106 XL	1090	8	24
16018	SPEEDMASTER 145XL / 162XL	1650	20	12

PERFECTING TEX® MAXI


16095	SPEEDMASTER 52	540	500	1
16080	SPEEDMASTER 74 / 75XL	765	500	1
16108	SPEEDMASTER 102	1040	500	1
16090	SPEEDMASTER 105XL	1070	500	1
16090A	SPEEDMASTER 105XL / 106XL	1075	500	1
16115	SPEEDMASTER 106XL	1090	500	1
16130	SPEEDMASTER 145XL / 162XL	1650	500	1

PRE-TEX®

CMIS
PATENTED PRODUCTION
SYSTEM TECHNOLOGY

THE FUTURE IS THIS WAY ! CONVERSION OF HEIDELBERG PRESSES

COMPARISON & ADVANTAGES



The washcloth evolution: from dry cloth to Pre-TEX®!

Fogra

cert

Test Certificate

| 26921

PRE-TEX®

Pre-impregnated mini-rolls for automatic washing systems

MAXIMUM RESULTS - MINIMUM WASTE - MAXIMUM SAVING**10 reasons why PRE-TEX® is UNIQUE**

- All Pre-TEX® solvents are **ISEGA certified**
- **Ready for use:** no preparation is needed
- Uniform impregnation, **NOT soaked to saturation** (immersion)
- Re-start-up with **minimal waste**, every other system creates a lot more
- Micrometric impregnation, no wash on the plate, **no fogging**
- Optimization of washing programmes **without wasting cloth**
- **No loss** of wash on the grippers and moving parts of the press
- Every wash guaranteed to be **perfect in all the printing units**
- **Wash times** drastically reduced by half, also in the large size presses
- Vacuum sealed, safe storage, **unlimited shelf life**



The most complete programme of pre-impregnated washcloth rolls on the market, suitable for all **Offset and Web-Offset machines**, available in all sizes and for use with all kinds of inks: **TRADITIONAL, UV, HUV, HYBRID, COLDSET and HEATSET.**

The technical production procedure guarantees a **perfectly uniform and stable micrometric impregnation** on the complete surface of the washcloth roll. It guarantees a level of washing of incomparable quality, thanks to the perfect and **gradual release of the wash solvent.**

Pre-TEX® is unbeatable !

With a simple test you will have clear evidence of a considerable saving of time and a surprising number of washes !

Moreover, by eliminating the internal washing system, you will have a significant reduction of maintenance of the components subject to wear and tear !



The **high quality Pre-TEX® washes**, which guarantee a very good cleaning of the inks, were **studied for impregnation**, with parametres regarding the density, stability and tension-activity which are different to the normal washes used for standard wash procedures.

Possibility of converting the washing systems in use.

All the **Offset and Web-Offset machines** equipped with washing systems for blankets and impression cylinders, that use dry washcloth rolls, **are convertible to the Pre-TEX® system.**

NUM PACK Patented - AETERNUM PACK Patented - AETERNUM PACK Patented - AETERNUM

PRE-TEX® ECO SUSTAINABILITY

The technology of the printing press manufacturers has been following the progressive use of pre-impregnated washcloth rolls for many years. Today this technology is widely applied all over the world. We should not exclude the possibility that, in the near future, the continuous restrictions of the environmental regulations linked to the ecological impact in the working environment, will lead to the total elimination of the use of dispersion wash solvents in the printroom.



Pavan Forniture Grafiche S.p.A
has created the first **conversion service** in the world
market to **eliminate the dispersion of solvents**
in the working environment and to **reduce**
the consumption of washcloth by **40%**
on all HEIDELBERG press models.



**Advantages in terms of:
TIME, SOLVENT, CLOTH**

LESS WATER

Much less water used in the press.



LESS CLOTH

Lower cloth consumption for the same number of washes. Less washcloth to dispose of after use.



LESS SOLVENT

No dispersion solvents in the printroom.
Solvent is contained exclusively in the Pre-tex rolls.



LESS POLLUTION !



Pre-TEX® supports the environment !
As well as gaining more printing time,
you will have a lower consumption of water in the
press, a lower consumption of washcloth and
a reduced dispersion of solvent.




PRE-TEX® FOR WEB-OFFSET



"Pavan Forniture Grafiche S.p.A thanks all their clients who over these 10 years have chosen PRE-TEX WEB for their Goss - Heidelberg - Manroland - KBA Wifag - Komori - Mitsubishi - Timson presses."

10 Years of PRE-TEX® WEB-OFFSET
10 Years of sales worldwide
10 Years of technological innovation
10 Years of QUALITY.

Luca Pavan



High performance
offset blanket for
Sheet-fed & Web-offset
Blankets

SUMITOMO


The new generation

high quality
compressible printing Blankets
for any type of printing



COLOUR	BLUE	CONSTRUCTION	3FABRIC LAYERS
ROUGHNESS RA	0,7 µM	HARDNESS (TOTAL)	79° SHORE A
APPLICATION FIELDS	SHEETFED, METAL DECORATING, PACKAGING.	INK COMPATIBILITY	CONVENTIONAL AND HYBRID INKS.
THICKNESS MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	28-42 KG/CM² A 0,32 MM DEFORMATION

S-PRIA BLUE




COLOUR	DARK BLUE	CONSTRUCTION	3FABRIC LAYERS
ROUGHNESS RA	0,9 µM	HARDNESS (TOTAL)	79° SHORE A
APPLICATION FIELDS	SHEETFED, METAL DECORATING, PACKAGING.	INK COMPATIBILITY	CONVENTIONAL AND U.V. INKS.
THICKNESS MM	1,95 ± 0,02 MM	COMPRESSIBILITY	28-42 KG/CM² A 0,32 MM DEFORMATION

S-PRIA BLUE PLUS



COLOUR	GREEN	CONSTRUCTION	4FABRIC LAYERS
ROUGHNESS RA	0,7 µM	HARDNESS (TOTAL)	80° SHORE A
APPLICATION FIELDS	SHEETFED, COMMERCIAL WEB, PACKAGING	INK COMPATIBILITY	CONVENTIONAL AND U.V. INKS.
THICKNESS MM	1,95 ± 0,02 MM	COMPRESSIBILITY	23-38 KG/CM² A 0,22 MM DEFORMATION

S-PRIA EMERALD



COLOUR	VIOLET	CONSTRUCTION	3FABRIC LAYERS
ROUGHNESS RA	0,7 µM	HARDNESS (TOTAL)	79° SHORE A
APPLICATION FIELDS	SHEETFED, METAL DECORATING, PACKAGING.	INK COMPATIBILITY	UV FOR "H-UV" - "LE-UV" - "LEC-UV" - "HR-UV"
THICKNESS MM	1,95 ± 0,02 MM	COMPRESSIBILITY	28-42 KG/CM² A 0,32 MM DEFORMATION

SB14




ROYAL DOT

**AL VERTICE DELLA QUALITÀ
THE SUMMIT OF QUALITY
EN LA CUMBRE DE LA CALIDAD**



**THE BEST QUALITY FOR
HEIDELBERG MACHINES**



**30 Anni di esperienza
e di continui successi!!**

L'esperienza maturata ed acquisita in tutti questi anni nella commercializzazione dei tessuti gommati, ci ha permesso di selezionare un'esclusiva gamma di prodotti specifici risultati essere i migliori nel loro impiego. Abbiamo scelto il meglio che il mercato mondiale oggi propone!! La gamma di tessuti gommati **"ROYAL DOT DYNAMIC"** è interamente certificata sotto il marchio di garanzia **"ROYAL DOT DYNAMIC"**. Su richiesta l'intera gamma di tessuti gommati **"ROYAL DOT DYNAMIC"** può essere fornita con una vostra etichetta privata personalizzata. Contattateci per avere maggiori informazioni in merito.




**30 Years of experience
and continuous success!!**

The experience we have gathered and acquired in all these years of selling printing blankets has allowed us to select an exclusive range of products whose performance is at the top of the scale. We have chosen the best that today's market offers!! The **"ROYAL DOT DYNAMIC"** range of printing blankets is entirely certified under the guaranteed trademark **"ROYAL DOT DYNAMIC"**. On request, the complete range of **"ROYAL DOT DYNAMIC"** printing blankets can be supplied with your own private personalized label. Contact us for further details.



**¡¡30 Años de experiencia y
de continuos exitos!!**


La experiencia madurada y conseguida en todos estos años, en la comercialización de caucho, nos ha permitido el seleccionar una gama exclusiva de productos específicos resultando ser los mejores. ¡¡Hemos escogido lo mejor que hoy propone el mercado mundial!! La gama de caucho **"ROYAL DOT DYNAMIC"** está certificada completamente bajo la marca de garantía **"ROYAL DOT DYNAMIC"**. Bajo pedido, la gama completa de caucho **"ROYAL DOT DYNAMIC"** se puede suministrar con su etiqueta privada personalizada. Contáctenos para tener mayor información al respecto.



COLOUR	BLUE	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	0,8 ÷ 1,00 µM	HARDNESS (TOTAL)	77° SHORE A
APPLICATION	SHEETFED, HEATSET, COLDSET	INK COMPATIBILITY	CONVENTIONAL AND UV INKS
THICKNESS MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	20-35 KG/CM² A 0,23 MM DEFORMATION

ROYAL DOT

"6000" DYNAMIC



COLOUR	LIGHT BLUE	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	0,8 ÷ 1,00 µM	HARDNESS (TOTAL)	77° SHORE A
APPLICATION	SHEETFED, METAL DECORATING, PACKAGING.	INK COMPATIBILITY	CONVENTIONAL AND UV INKS
THICKNESS MM	1,95 ± 0,02 MM	COMPRESSIBILITY	20-35KG/CM² A 0,23 MM DEFORMATION

ROYAL DOT


"5500" DYNAMIC



COLOUR	DARK BLUE	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	0,8 ÷ 1,00 µM	HARDNESS (TOTAL)	77° SHORE A
APPLICATION FIELDS	SHEETFED, PACKAGING	INK COMPATIBILITY	CONVENTIONAL AND HYBRID INKS.
THICKNESS MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	20-35 KG/CM² A 0,23 MM DEFORMATION

ROYAL DOT


MASTER



COLOUR	GREY	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	0,8 ÷ 1,00 µM	HARDNESS (TOTAL)	77° SHORE A
APPLICATION	SHEETFED, COMMERCIAL WEB, PACKAGING	INK COMPATIBILITY	CONVENTIONAL AND UV INKS
THICKNESS MM	1,95 ± 0,02 MM	COMPRESSIBILITY	20-35 KG/CM² A 0,23 MM DEFORMATION

ROYAL DOT

"DUAL" DYNAMIC



COLOUR	VIOLET	PURPLE	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	ACCORDING TO APPLICATION		HARDNESS (TOTAL)	60° SHORE A / 77° SHORE A
APPLICATION FIELDS	SHEETFED, METAL DECORATING, PACKAGING.		INK COMPATIBILITY	UV FOR "H-UV" - "LE-UV" - "LEC-UV" - "HR-UV"
THICKNESS MM	1,95 ± 0,02 MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	16-26 KG/CM² 20-35 KG/CM² A 0,23 MM DEFORMATION

ROYAL DOT

"8000" DYNAMIC UV METAL

"8000" DYNAMIC UV



ROYAL DOT

BLACK UV

COLOUR	BLACK	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	ACCORDING TO APPLICATION	HARDNESS (TOTAL)	77° SHORE A
APPLICATION FIELDS	SHEETFED, METAL DECORATING, PACKAGING.	INK COMPATIBILITY	UV FOR "H-UV" - "LE-UV" - "LEC-UV" - "HR-UV"
THICKNESS MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	20-35 KG/CM ² A 0,23 MM DEFORMATION

ROYAL DOT

UV PLUS

COLOUR	VIOLET	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	ACCORDING TO APPLICATION	HARDNESS (TOTAL)	77° SHORE A
APPLICATION FIELDS	SHEETFED, COMMERCIAL WEB, PACKAGING	INK COMPATIBILITY	UV FOR "H-UV" - "LE-UV" - "LEC-UV" - "HR-UV"
THICKNESS MM	1,95 ± 0,02 MM	COMPRESSIBILITY	20-35 KG/CM ² A 0,23 MM DEFORMATION

ROYAL DOT

PLAST UV

COLOUR	BLACK	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	0,4 ÷ 0,6 µM	HARDNESS (TOTAL)	80° SHORE A
APPLICATION FIELDS	PLASTIC POT, TUBES	INK COMPATIBILITY	RESISTANT TO UV INKS
THICKNESS MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	75 KG/CM ² DEFORMATION

ROYAL DOT

WEB

COLOUR	DARK BLUE	CONSTRUCTION	3 FABRIC LAYERS
ROUGHNESS RA	0,8 ÷ 1,00 µM	HARDNESS (TOTAL)	77° SHORE A
APPLICATION FIELDS	WEB OFFSET	INK COMPATIBILITY	CONVENTIONAL AND HYBRID INKS
THICKNESS MM	1,70/1,95 ± 0,02 MM	COMPRESSIBILITY	20-35 KG/CM ² A 0,23 MM DEFORMATION

ROYAL DOT

-KARTON-

COLOUR	DARK GREY	CONSTRUCTION	2 FABRIC LAYERS
ROUGHNESS RA	0,5 ÷ 0,7 µM	HARDNESS (TOTAL)	60° SHORE A
APPLICATION FIELDS	SPECIFIC FOR CORRUGATED BOARD	INK COMPATIBILITY	RESISTANT TO CONVENTIONAL
THICKNESS MM	2,07 +/- 0,02 MM	COMPRESSIBILITY	18-32 KG/CM ² A 0,21 MM DEFORMATION



NEW SERVICE P&C (PARKING & CUTTING)

QUALITY, SPEED, ECONOMY

NOW YOU CAN PURCHASE OUR VAST RANGE OF PRINTING BLANKETS



SUMITOMO
RUBBER INDUSTRIES



&

ROYAL DOT



AT A PURCHASE PRICE (RESERVED FOR BLANKET ROLLS)
AS IF YOU HAD IN YOUR COMPANY A CONVERTING SYSTEM
(PARKING & CUTTING + BARRING)!

4 AUTOMATIC CUTTING SYSTEMS - 4 MANUAL CUTTING SYSTEMS
3 BARRING STATIONS



NEW PARKING AND CUTTING SERVICE:
ALL INCLUDED IN THE PRICE !!!



1) PARKING



2) CUTTING



3) BARRING




4) STAMPING



5) PACKAGING


1) PARKING

Blanket rolls remain in our stock, ready to be cut to order.



2) CUTTING

Printing blankets are cut to size from jumbo rolls using our automatic cutting systems.




3) BARRING

After the conversion, blankets are barred using our 4 presses (each press has a maximum width of 2200 mm).



4) STAMPING

Each blanket is marked on the back with the blanket brand name and the dealer's contact details.
Our company name will never appear.



5) PACKAGING

On the basis of the size and quantity of blankets, we pack them in rolls, ready for dispatch (in multiples of 4/5/6 pcs).










FOR MORE INFORMATION, SEND YOUR REQUEST BY E-MAIL TO:

veronica@pavanvr.com - susan@pavanvr.com

copyright © Pavan Forniture Grafiche S.p.A - www.pavanvr.com - pavan@pavanvr.com

QUICK CUT AND QUICK BAR SERVICE


QUALITÀ, RAPIDITÀ, CONVENIENZA - QUALITY, SPEED, ECONOMY - CALIDAD, RAPIDEZ, CONVENIENCIA



ROYAL UNDERBLANKET®

THE MOST COMPLETE PROGRAMME
OF THICKNESSES IN THE WORLD

THE ONLY
UNDERBLANKET
WITH GROUND
RUBBER SURFACE



HARDNESS:	75 SHORE
THICKNESSES AVAILABLE:	MM: 0,35 - 0,40 - 0,45 0,50 - 0,55 - 0,60 - 0,65 0,70 - 0,75 - 0,80 - 0,90 1,00 - 1,05 - 1,10 - 1,15 1,20 - 1,25 - 1,30 - 1,35 1,40 - 1,45 - 1,50 - 1,70.
TOLERANCE:	+/-0,02

AVAILABLE IN CUT PIECES AND IN ROLLS



FOGRA CERTIFICATION IN PREPARATION